

TELECOM REGULATORY AUTHORITY OF INDIA

REPORT

ON

AUDIT & ASSESSMENT OF QUALITY OF SERVICE

OF

CELLULAR MOBILE TELEPHONE SERVICES

FOR

SOUTH ZONE

CHENNAI

Report Period: Oct. 2013 - Dec. 2013

cs Datamation Research Services Pvt. Ltd

Plot No 361, 1st Floor, Patparganj Indl. Area, Delhi-110 092

CONTENTS

CHAPTER-1: INTRODUCTION	3
1.0 Objectives of the Audit and Assessment of Quality of Service:	3
2.0. Scope of work to be undertaken:	3
3.0. Quality Parameters to be audited in respect of the Basic (Wire line), Telephone Services, Broadband, and Mobile Telephone Services:	3
Detailed Scope of Work implemented & Universe:	8
4.0 Coverage, Sampling & Research Methodology for the Southern Zone (Chennai):	10
CHAPTER-2: EXECUTIVE SUMMARY	23
I. Preface	23
II. Findings from Quality of Service Audit (Operator wise for each parameter)	24
CHAPTER-3: AUDIT -PMR DATA VERIFICATION RESULTS	27
3.0 Cellular Mobile Telephone Service	27
3.1 PMR Data Verification Results for	27
3.1.4 PMR Summarized Data Results in Table Chennai Circle Q2 (OctDec'13):	30
3.2 3 Days Live Test Audit Report	32
3.3 Operator Assisted Drive Test	34
3.4 CUSTOMER SERVICE QUALITY PARAMETERS	36
3.5 Redressal	38
3.6 Inter Operator Call Assessment	38
CAPTER-4: DETAILED FINDINGS, ANALYSIS AND GRAPHICAL REPRESENTATION	39
4.0 Cellular Mobile Telephone Service	39
4.1 3 Days Live Test Audit Report	39
4.2 CUSTOMER SERVICE QUALITY PARAMETERS	42
4.3 PMR Summarized Data Results in Table & Graphical	46
4.4 Drive Test Measurements Audit Report	50
4.5 Live Test Summary and Graphical Representation	55
CHAPTER-5: FINDINGS AND ANALYSIS	62

CHAPTER-1: INTRODUCTION

1.0 Objectives of the Audit and Assessment of Quality of Service:

Telecom Regulatory Authority of India has been entrusted to lay-down the standards of quality of service to be provided by the service providers and ensure the quality of service and conduct the periodical audit of such services provided by the service providers so as to protect the interest of the consumers of telecommunications service. TRAI engaged Datamation for the Southern Zone (Chennai circle) for the audit and assessment of Quality of Service of service providers for Basic (Wireline) Telephone Services, Broadband and Cellular Mobile Telephone Services, as per the scope of work detailed scope of work outlined.

2.0. Scope of work to be undertaken:

The scope of work Audit and Assessment of Quality of Service of service providers as mandated by TRAI includes:

- (a) Preparation of Performance Monitoring reports (PMRs) and up-loading in the system.
- (b) Live measurements of the performance of Service Providers (SPs) against the benchmarks for three days during each audit.
- (c) Monthly audit based on one month data of the SPs. (d) Drive test of the RF networks.
- (e) Audit of the performance of call centres with respect to their accessibility and percentage of calls answered by the operators and random customer feedback by calling the customers to get feedback of the services provided by the service providers.
- (f) Transfer of data generated by the RF drive test / live measurements / PMR/ monthly audit to the server located at TRAI premises on real time basis.

3.0. Quality Parameters to be audited in respect of the Basic (Wire line), Telephone Services, Broadband, and Mobile Telephone Services:

Basic (Wireline Services): The parameters for Basic Telephone Service (Wireline) consist of various QoS indicators, which can be audited and assessed objectively, and include parameters like fault incidences, call completion rates/answer to seizure ratio, POI congestion and customer service parameters viz. mean time to repair faults, metering and billing credibility (post paid and pre paid), resolution of billing/charging complaints, period of applying credit/waiver/adjustment to customer's account, response time to the customer for assistance, termination/closure of service, time taken for refund of security deposit after closures; provision of a telephone after registration of demand, shift of telephone connection, etc. This work

was not carried out in the Q2.

Mobile Telephone Services: The parameters of Quality of Service for cellular mobile telephone services have been specified under the head (A) Network Service Quality Parameters (B) Customer Service Quality Parameters. The Network Service Quality Parameters include the parameters related to (i) Network Availability (ii) Connection Establishment, (iii) Connection Maintenance (iv) POI Congestion. The Customer Service Quality Parameters include metering and billing credibility (postpaid and prepaid), resolution of billing/charging complaints, period of applying credit/waiver/adjustment to customer's account, response time to the customer for assistance, termination/closure of service and time taken for refund of security deposit after closures. The parameters related to the Service coverage are to be audited and monitored during drive test.

All of these parameters have been covered in the Q2.

Broadband Services: The parameters of Quality of Service for broadband services, specified in the regulation 3 of Quality of Service of Broadband Services Regulations, 2006, include service provisioning/activation time, fault repair and restoration time, billing performance, response time to customer for assistance, bandwidth utilization / throughput, service availability, packet loss and network latency.

Cellular Mobile Telephone Service:

S.N	Name of Parameter	Benchmark	Averaged over a
A	Network Service Quality Parameters	:	
(i)	Network Availability		
	(a) BTSs Accumulated downtime (not available for service)	≤ 2%	One Month
	(b) Worst affected BTSs due to downtime	≤ 2%	One Month
(ii)	Connection Establishment (Accessibility)		
	(a) Call Set-up Success Rate(within licensee's own network)	≥ 95%	One Month
	(b) SDCCH/ Paging Channel Congestion	≤ 1%	One Month
	(c) TCH Congestion	≤ 2%	One Month

(iii)	Connection maintenance (Retain ability)		
	(a) Call Drop Rate	≤ 2%	One Month
	(b) Worst affected cells having more than 3% TCH drop (call drop) rate	≤ 5% up to 31.03.2011 ≤ 3% From 01.04.2011	One Month
	(c) connections with good voice quality	≥ 95%	One Month
(iv)	Point of Interconnection (POI) Congestion (on individual POI)	≤ 0.5%	One Month
В	Customer Service Quality Parame	eters:	
(v)	Metering and billing credibility – post-Paid	Not more than 0.1% of bills issued should be disputed over a billing cycle	One Billing Cycle
(vi)	Metering and billing credibility — pre- paid	Not more than 1 complaint per 1000 customers i.e. 0.1% complaints for metering, charging, credit, and validity	One Quarter
vii)	(a) Resolution of billing/ charging complaints	100% within 4 weeks	One Quarter
	(b) Period of applying credit/ waiver/ adjustment to customer's account from the date of resolution of complaints	within 1 week of resolution of complaint	One Quarter
(viii)	Response Time to the customer for assistance		
	(a) Accessibility of call centre/customer care	≥ 95%	One Quarter
	(b)Percentage of calls answered by the operators (voice to voice) within 60 seconds	≥ 90%	One Quarter
(ix)	Termination/ closure of service	≤ 7 days	One Quarter
(x)	Time taken for refund of deposits after closures	100% within 60 days	One Quarter

(ii) Basic Service (wire line):

S.N	Name of Parameter	Benchmark	Averaged over a period
(i)	Fault incidences (No. of faults/100 subscribers/month)	≤ 5	One Quarter
(ii)	Fault repair by next working day	For urban areas: By next working day: ≥ 90% and within 3 days: 100%. For rural and hilly areas: By next working day: ≥ 90% and within 5 days: 100%. Rent Rebate Faults pending for >3 days and ≤7 days: Rent rebate for 7 days. Faults pending for >7 days and ≤15 days: Rent rebate for 15 days.	
		Faults pending for >15 Days: rent rebate for one month.	
(iii)	Mean Time To Repair (MTTR)	≤8 Hrs	One Quarter
(:)	(a) Call Completion Rate within a local network shall be better than	≥ 55%	One Quarter
(iv)	or,		
	(b) Answer to Seizure Ratio (ASR)	≥ 75 %	One Quarter
(v)	Point of Interconnection (POI) Congestion (on individual POI)	≤ 0.5%	One month
(vi)	Metering and billing credibility – post paid	Not more than 0.1% of bills issued should be disputed over a billing cycle	One Billing Cycle
(vii)	Metering and billing credibility - pre- paid	Not more than 1 complaint per 1000 customers, i.e., 0.1% complaints for metering, charging, credit, and validity	One Quarter
(viii)	Resolution of billing/ charging complaints	100% within 4 weeks	One Quarter
(ix)	Period of applying credit/ waiver/ adjustment to customer's account from the date of resolution of complaints	within 1 week of resolution of complaint	One Quarter
	Response Time to the customer for assi	stance	
(x)	(a) Accessibility of call centre/ customer care	≥ 95%	One Quarter
(-7)	(b)Percentage of calls answered by the operators (voice to voice) within 60 seconds	≥ 90%	One Quarter
(xi)	Termination/ closure of service	≤7 days	One Quarter
(xii)	Time taken for refund of deposits after	100% within 60 days.	One Quarter

closures

(iii) Broadband Service:

S.N	Parameters	Benchmark
(i)	Service Provisioning/ Activation time	100% cases in =<15 working days (Subject to technical feasibility). In all cases where payment towards installation charge & security deposit is taken and the Broadband connection is not provided within 15 working days, a credit at the rate of Rs.10/ per day, subject to a maximum of installation charge or equivalent usage allowance shall be given to the customer, at the time of issue of first bill.
(ii)	Fault Repair/ Restoration Time	By next working day: > 90% and within 3 working days: 99% Rebate: (a) Faults Pending for > 3 working days and < 7 working days: rebate equivalent to 7 days of minimum monthly charge or equivalent usage allowance (b) Faults Pending for > 7 working days and < 15 working days: rebate equivalent to 15 days of minimum monthly charge or equivalent usage allowance (c) Faults Pending for > 15 working days: rebate equivalent
(iii)	Billing Performance Billing complaints per 100 bills issued % age of Billing Complaints resolved Time taken for refund of deposits after closure	< 2% 100% within 4 weeks 100% within 60 days
(iv)	Response time to the customers for assistance	% age of calls answered by operator (Voice to Voice) Within 60 seconds > 60% Within 90 seconds > 80%

(v)	Bandwidth Utilization/ Throughput: a) Bandwidth Utilization i) POP to ISP Gateway Node [Intranetwork] Link(s) ii) ISP Gateway Node to IGSP / NIXI Node upstream Link(s) for International connectivity b) Broadband Connection Speed	<80% link(s)/route bandwidth utilization during peak hours (TCBH). If on any link(s)/route bandwidth utilization exceeds 90%, then network is considered to have congestion. For this additional provisioning of Bandwidth on immediate basis, but not later than one month, is mandated. Subscribed Broadband Connection Speed to be met					
	(download)	>80% from ISP Node to User.					
(vi)	Service Availability / Uptime	> 90% quarter ending June 2007; > 98% with effect from quarter ending September 2007 and onwards					
(vii)	Packet Loss	<1%					
(viii)	Network Latency (for wired broadband access) User reference point at POP / ISP Gateway Node to International Gateway (IGSP/NIXI) User reference point at ISP Gateway Node to International nearest NAP port abroad (Terrestrial)	<120 msec <350 msec					

User reference point at ISP Gateway Node to International nearest NAP port abroad (Satellite) <800 msec

Detailed Scope of Work implemented & Universe:

We undertook audit and assessment of Quality of Service provided by every service provider (licensee) in each of the telecom circles/metro service areas under the respective Zone in the following manner:-

- (a) In respect of Cellular Mobile Telephone service, all the service areas/circles in each Zone are to be audited in every quarter of the year i.e. a service area will be audited four times in a year.
- (b) In respect of Basic service (wire line) and Broadband service, a service area/circle in the contracted Zone is to be audited only once in a year.

We undertook the audit work as follows: -.

(a) Generation of reports at service providers site as part of QoS monitoring reports i.e. quarterly Performance Monitoring Reports (PMRs) and monthly Point of Interconnect (POI) Congestion Reports for Basic and Cellular Mobile Services with reference to the records maintained by the service provider and the system logs for the period. We generated the quarterly PMR at site and uploaded it on real time basis to the server at TRAI, Delhi.

The PMR report formats and parameters were finalized and any modifications or additions of parameters were undertaken in consultation with TRAI. The scope covered all future PMR parameters as and when defined by TRAI during the duration of the contract. The PMRs were generated on monthly basis for the Network Service Quality Parameters of cellular mobile telephone services and on quarterly basis for Customer Service Quality Parameters of cellular mobile telephone services, basic (wire line) services and broadband services as per the parameters specified in clause The PMRs so generated were up-loaded on the server latest by 7th of the following month;

- (b) Verification of the performance of service providers against the Quality of Service benchmarks laid down by TRAI using live measurement for three days for the parameters for the services as specified during the month in which the audit and assessment is carried out. The results were uploaded live to the server:
- (c) Verification of the performance of service providers against the Quality of Service benchmarks, for the parameters and for the services as specified in clause 1.9, laid down by TRAI using the data for the entire month during which the live measurement as per clause (b) above is carried out; the results was uploaded live to the server;
- (d) Drive tests of the mobile networks of service providers; the results were uploaded live to the server. We carried out an analysis of the drive test and loaded the results giving such information and in such format as agreed by TRAI.
- (e) Audit of the performance of call centers with respect to their accessibility and percentage of calls answered by the operators, test calling and random customer feedback by calling the customers to get feedback of the services of the service providers was also carried out by Datamation. The Automatic Call Distribution (ACD) records were also verified for the calls answered by the operators within 60 seconds.

3.1 Sampling Universe:

The Telecom Licensed Service Areas/Circle for the purpose of audit and assessment are:

South Zone: Chennai

The audit and assessment of Quality of Service shall be conducted for BSNL, MTNL, private basic service

providers, unified access service providers, cellular mobile service providers and ISPs (providing broadband service) in various service areas for basic telephone service (wire line), cellular mobile telephone service and broadband service. We are required to conduct the audit and assessment of Quality of Service of Broadband Service only in respect of the service providers who are having broadband subscriber base of more than 10,000 subscribers in their licensed service area. The updated data in respect of licensees (service providers) who have commissioned service and their subscriber base/Mobile Switching Centre (MSCs)/BTS"/Exchanges/Internet Service Providers Central Nodes (ISP Nodes) shall be intimated by TRAI from time to time and we shall carry out the audit and assessment of Quality of Service accordingly thereafter. The audit and assessment of Quality of Service providers in a Telecom Circle/ Metro Service Area / Licensed Service Area shall be completed in the same quarterly period.

Generation of performance reports against QOS benchmarks:

4.0 Coverage, Sampling & Research Methodology for the Southern Zone (Chennai):

Sample size for cellular mobile services:

100% Gateway MSCs (GMSC) and Mobile Switching Centre (MSC) of all the Cellular Mobile Service Provider (CMSP) or Unified Access Service Providers (UASP) were covered in specified circles/ service areas in respective Zone in each of the quarterly period.

Number of exchanges to be covered for Basic (Wireline) services: (Not covered in this Quarter)

The break-up of the total number of exchanges of BSNL, MTNL and private basic service operators circle/service area-wise, including urban and rural exchanges, and the number of exchanges, both urban and rural, that shall be covered during the year (i.e. four quarters) for audit and assessment of the Quality of Service shall be obtained from TRAI. As per the break-up of number of exchanges to be covered in a year, 556 urban exchanges and 1508 rural exchanges, totaling 2064 exchanges are proposed to be covered. The exchanges shall evenly be spread over in about 10% of SDCAs to the extent possible with each service provider in specified circles/ service areas. A service area/circle in the contracted Zone shall be audited only once in a year.

Number of POPs to be covered for Broadband Services: (Not covered in this Quarter)

We propose to first visit the ISP"s Central Node in licensed service area and identify the total number of Point of Presence (POPs) in each service area. Thereafter, the sample for audit and assessment of Point of Presence shall be decided in such a way that minimum 5% (five per cent) of the Points of Presence of ISP spread over in 10% (ten per cent) SDCAs in specified service area/telecom circle shall be covered. The

POPs are proposed to be evenly spread over in the licensed service area. A service area/circle shall be audited only once in a year.

4.1 Primary Data Collection and Quality Control: The primary data was collected only as per the structured questionnaire and through field visits as per mode and protocol indicated and already approved by TRAI.

The primary data was collected by Datamation's RAN Engineers. The following measures, amongst others, were adopted to ensure good quality of data:

- Contents of questionnaire along with techniques and tools to be used for the survey and data collection after approval of TRAI were shared with all the trained / skilled investigating personnel at the beginning of the survey through orientation;
- Standardized data collection tool and guidelines were designed by the project team;
- Monitoring and supervision of field Engineers was done by team leader and field team leaders.
- **4.2 Secondary data collection and use**: To achieve the set objectives of the survey, information from secondary sources shall also be used, including information supplied from TRAI and various other relevant media/sources.

Data processing, analysis and Report writing: after collection of data and field work, data processing was done by editing, validation of data for removing duplication or incomplete information, etc. and tabulation. Analysis of data was done as per the scope of work and deliverables. After completion of compilation of data and analysis, reports were compiled and submitted to TRAI which will include details on comparable parameters state wise.

5.0. Procedure adopted for Quality and Assessment of the Services:

The generation and verification of performance of service providers against QOS benchmarks involved measuring of specified reporting parameters, checking of complete records, analysis of procedure and method utilized by various service providers in measuring the parameters and method of averaging for the purpose of reporting. We included critical findings licensee-wise in each *quarterly* report. Audit methods and procedures:

To measure each quality of service parameter defined by TRAI, the two main sources of data collection identified were:

- Audit of the MIS reports at exchanges (OMC or MSCs) or ISP Node of the service provider.
- Primary data collection and check back calls (live observations done during the visits)

The audit was conducted in each centre of study to generate various types of data. Thus, for data collection, following activities were undertaken during the appraisal exercise.

Collection of MIS data of OMC or MSC or ISP Node:

For this TRAI has already suggested to the service providers to maintain the QoS source data in a proper format. From the source data, we generated the quarterly/monthly performance monitoring reports (PMR). Methodology adopted was checked against instructions and standards to see if the measurements adhere to specifications.

Live Measurements and Live Data Collation:

During the audit and assessment, following activities were undertaken for live measurements and live data collection.

a) <u>Audit and Assessment of complaint redressal and provisioning of new broadband connections: (Not conducted this Quarter)</u>

Telephonic interviews are proposed to be conducted among a sample of subscribers of telephone –

- In basic service (wireline) for those customers who reported a fault complaint, billing dispute
- In case of Mobile operators, who have had a recent billing dispute?
- In case of Broadband service for those who requested for a new connection, reported a fault complaint, billing dispute, complaint of Broadband connection speed (download).

Data shall be obtained on:

- Occurrence of fault complaints
- Clearance of fault within stipulated time
- Incidence of billing disputes
- Clearance of billing complaints within stipulated time
- Attendance to requests for closure/ termination of service

Sampling Procedure & quality control: In order to get a correct and meaningful result from audit it is important to ensure that the right sampling procedure is followed. Equally important is the process of ensuring that quality control parameters are put in place. Care shall be taken to distribute the sample to obtain a random list. The distribution of sample sizes shall be evenly distributed. The sampling procedure for various activities to be carried is given below:

Sample for telephonic interview for billing complaints:

The sample size for telephonic interview of billing complaints in each audit shall be 100 subscribers or the total number of complaints, whichever is less per service provider for each service in a licensed service area. All the complaints booked shall be treated as the total population for selection of samples.

Sample for telephonic interview for new connection for Broadband Service:

The sampling frame shall be for Point of Presence/ ISP Node of Broadband Service Provider. Here, the total sample size (10% of the applicants in the previous month or 100 whichever is less for every service provider) shall be randomly selected from the records/registers to make check back calls.

Sample for telephonic interview for service complaints/ requests:

The operator is required to provide the details of the service complaints/ requests for the month previous to the audit month for Cellular Mobile Telephone Services, Basic (wireline) Services and Broadband Services. For broadband services, complaints related to download speed are proposed to be covered. From the list of these complaints/requests (10% or 100 per service provider per license service area, whichever is less) sample shall be drawn randomly to make check back calls. A notice of minimum 3 (three) weeks is proposed to be provided to the service provider by us for arranging and supplying the data required for audit of exchanges, ISP nodes and MSCs to be covered.

b) <u>Audit and Assessment of Call Centre/ customer care promptness and live measurement through test calls:</u>

Test calls shall be made to assess the availability and efficiency of Level 1 services and complaint centre accessibility. The telephone/SIM Cards/Instruments for testing purposes shall be provided by the concerned service provider(s) in whose network the audit and assessment of Quality of Service is carried out. The details regarding test calls are:

(a) Testing of Level 1 Services:

Level 1 Services such as police, fire, ambulance (Emergency services) in the case of both Mobile service providers and basic telephone service providers. Test calls shall be made from all the levels working in a particular SDCA visited. Again, the total sample sizes (150 per license service area per service per quarter) are proposed to be equally distributed among the different SDCAs visited, and the distribution among the active levels would be in proportion to the capacity of each level in that SDCA.

(b) Inter-operator call assessment:

Inter Network calls i.e. calls made from one operator to another within the same license are shall be made to judge the ease of connectivity amongst the operators.

A sample of 2 X 50 test calls per service provider within the licensed service area are proposed to be made at different point of time to the free test numbers of another service provider (50 calls between 1000 to 1300 Hrs. and 50 calls between 1500 to 1700 hrs. for basic service and between 1100 to 1400 hrs. and between

1600 to 1900 hrs.) for cellular mobile service. The results of these calls shall be compiled and reported separately for each service provider service area-wise.

The telephone/SIM Cards/Instruments for testing purposes shall be provided by the concerned service provider(s) in whose network the audit and assessment of Quality of Service is carried out.

(c) Testing of Complaint Centre Accessibility and response time:

(i) Basic Telephone Service (wireline) and Cellular Mobile Telephone Service:

We shall measure the performance of both basic *telephone* service (wireline) & cellular mobile services against the benchmarks of the following Quality of Service parameters: -

Response time to the customer for assistance:

- (a) Accessibility of call centre/customer care >= 95%
- (b) % age of calls answered by the operator (voice to voice):

Within 60 seconds = 90%

The procedure for assessment of the performance in respect of above parameters shall be made using the traffic data at the point of termination to call centre from mobile/ basic telephone network. Traffic at the tandem or trunk or gateway MSC outgoing circuits to IVR of call centre shall be measured as per the traffic counter available in the respective switch to assess the accessibility of call centre.

In the case of parameter % of call answered by the operator voice to voice, assessment of IVR traffic data and CRM traffic data shall be analyzed during the time consistent busy hour (TCBH) of call centre. In addition, we shall also make the test calls and correlate the results with the traffic data analysis.

The procedure (IVR menu and sub-menu) and ease of accessing the operator within the benchmark laid down by TRAI, both for postpaid and prepaid customers shall be assessed and reported. In this regard para 3.11.4 of the Explanatory Memorandum to the Standards of Quality of Service of Basic Telephone Service (Wireline) and Cellular Mobile Telephone Service Regulations, 2009 and provisions of the Telecom Consumers Complaint Redressal Regulations, 2012 shall be followed.

(ii) Broadband service:

We propose to measure the performance of Broadband service against the benchmarks of the following Quality of Service parameters: -

Response time to the customer for assistance: % age of calls answered by operator (voice to voice):

Within 60 seconds = 60%

Within 90 seconds = 80%

Measurement:

A sample of 2 X 50 calls per service provider is proposed to be made at different point of time to the call centre of each service provider from each licensed service area (50 calls between 1000 to 1300 Hrs. and 50 calls between 1500 to 1700 hrs.) for basic telephone service (wireline) and similarly, 2 X 50 calls to the call centre of each service provider (50 calls between 1100 to 1400 hrs. and 50 calls between 1600 to 1900 hrs.) for cellular mobile telephone service from each licensed service area to ensure statistical significance. The time to connect to IVR shall be noted for all these calls. This is the wait time before an automatic answer machine (IVR) message begins. We then propose to measure the gap between the time when the last digit of the number is dialed, and the time when the IVR message begins. Similarly the wait time before a Call Centre agent responds to a test call shall be measured for all such test calls.

Verification and audit of records:

We propose to verify and audit the following records in respect of Basic Telephone Service (wireline):

- Call Centre records for complaints
- FRS details for fault complaints, fault repair and MTTR (Mean Time to Repair)
- Commercial records for billing details, billing disputes and redressal thereof
- Past traffic reports at local and TAX (Trunk Automatic exchanges) for Call
- Completion Rate/Answer to Seizure Ratio calculations
- Checking of customer complaint handling through live test at the call centre
- 100 Nos. of service complaints/ requests and 100 Nos. of billing related complaints shall be taken up by the auditing agency for verifying their redressal as per the record of the service provider.

We propose to verify and audit the following records in respect of Cellular Mobile Telephone Service:

- Call Centre records for complaints
- Network maintenance and planning department (OMC and Drive Test) records for QOS parameters
- System/ Network outage details, Call Set-up Success Rate, Blocked Call Rate, Call Drop Rate, worst affected cells having more than 3 % TCH drop rate, Voice Quality, Service Coverage and POI congestion
- Commercial and customer care records for billing disputes, redressal and refunds of payment
- Checking of customer complaint handling through live test at the call centre
- 100 Nos. of service complaints/ requests and 100 Nos. of billing related complaints shall be

taken up by the auditing Agency for verifying their redressal as per the record of the service provider.

We propose to verify & audit r ecords maintained by Broadband service providers relating to:

- Call Centre records for complaints
- FRS details for fault complaints, fault repair
- Records for requests for new connection, and supplementary services
- Commercial records for billing details, billing disputes and redressal thereof
- Checking of customer complaint handling through live test at the call centre
- Service complaints/ requests and billing related complaints shall be taken up by the auditing agency for verifying their redressal as per the record of the service provider.
- Bandwidth Utilization/ Throughput
- Broadband connection speed
- Service Availability/Uptime
- Packet Loss and Latency measurements.

Network performance parameters like Bandwidth Utilization/Throughput including Broadband Connection Speed, Packet Loss and Latency shall be measured on sample basis.

The detailed methodology for each Quality of Service parameter as given in the Explanatory Memorandum to the Quality of Service of Broadband Service Regulations, 2006 dated 6th October, 2006 (11 of 2006) shall be followed. The signature of the Nodal Officer nominated by the service provider for coordination with the audit agency shall be taken on all the formats containing the verified data for all the parameters

The network operation centre (NOC) or operation and maintenance centre (OMC) of service providers are generally on centralized basis either at service area as a whole or on regional basis. In some of the cases it is on national basis. Similarly, call centre and billing centres are also centralized. We shall take live measurements and collection of one month data or audit by actual visit to such NOC, OMC, call centre and billing centre.

Procedure to be followed by the audit agency for cellular mobile telephone service data generation, verification and audit

S. No.	Parameter	Procedure
	Network availability	The fault Alarm tracking details at the
i)	(a) BTS	OMC (MSC) for the network outages (due to own network
	accumulated down time	elements and infrastructure service provider end outages)
	(b) Worst affected	will be verified by Audit agency for arriving at the figures
	BTSs due to down time	reported to TRAI.
ii)	Call Set-up Success	The cell wise data generated through counters/MMC available in the switch for traffic measurements to be verified by the
	Rate	Audit agency.
	Blocked Call Rate	Both for SDCCH and TCH congestions the data in MSCs shall
iii)		be verified and compared with the data reported to TRAI in the Quarterly PMRs.
		This parameter is to be measured by the system generated
	Call Drop Rate	(defined counters are available in the system for traffic
iv)		measurement) cell wise dropped call data and total calls
		established figures to arrive at the authenticity and accuracy of
		the benchmark reported to TRAI.
v)	% Connections with good voice	This parameter is to be measured from the system generated data on a scale from 0 to 7 for GSM and FER value for CDMA
	quality	technology. The Audit agency should also collect the relevant
	quanty	city wise drive log files for all drive tests conducted to verify the
		parameter.

		,
vi)	Service coverage	The Audit agency should also collect the relevant city wise drive log files for all drive tests conducted to verify the parameter.
vii)	POI Congestion	The traffic data generated through Gateway MSCs (GMSCs) and reported to TRAI in POI congestion reports shall be verified.
vii)	Metering and Billing Credibility	The Audit agency should audit the billing complaints details on complaints received during the quarter and used for arriving at the figures reported to TRAI.
ix)	% of Billing Complaints resolved	Audit of billing complaints resolved and the total complaints received should be carried out to check the figures reported to TRAI. At the same time, the Audit agency should also conduct random live back checks of complaints.
x)	Period of applying credit/waiver/adjustment to customers account from the date of resolution	The Audit agency should check the billing complaints for which credit/waiver/ adjustment to be made on resolution of the complaints within one week.
xi)	Termination/closure of service	The data should be verified for termination/closure of the services within 7 days from the date of request.
xii)	Time taken for refund of d deposits after closure	Audit agency should verify that 100 % deposits should be refunded within 60 days. At the same time, the Audit agency should also conduct random live back checks of all such subscribers entitled for a refund.

Drive Tests:

In the case of Cellular Mobile Service, the exercise of QoS assessment shall not be limited to generation, verification and audit of data, but we shall also verify the parameters by conducting extensive drive test in all service areas, as per the details given below, to assess the network performance.

There are two types of drive tests that were conducted. One is operator assisted drive test and the other is independent drive tests. The details of these drive tests are given below:

Operator Assisted Drive Tests: The primary aim of these drive tests is to cross-check/validate the data on Quality of Service being provided by the telecom service providers to TRAI. These drive tests were conducted in such a manner so as to enable identification of network element deficiency and initiation of improvements. The operator assistance shall be desired to ensure a greater audit transparency.

In each licensed service area drive test in three cities, having high population, medium population and low population, were conducted every month for each service provider covering a minimum distance of 100 kilometers in city area and adjoining areas including important indoor sites. These cities were proposed by us and finalized by TRAI. The results of analysis of data generated during such drive tests were uploaded, immediately on completion of the drive test, to the central server at TRAI.

Independent Drive Tests: We did independent drive tests spread across the contracted zone limited to a maximum of 10 drive tests per licensed service area, in a year. The location for these drive tests was selected based on the subscriber complaints being received by TRAI or as decided by *TRAI*. Independent drive test covered a city and adjoining areas covering a minimum distance of 100 kilometers including congested areas and important indoor sites. The results of analysis of data generated during such drive tests were uploaded, immediately on completion of the drive test, to the central server at TRAI.

Drive Test Methodology:

For drive test following procedure was adopted:

- i. We obtained a coverage map from the service provider before starting the drive test and studied the coverage detail in terms of the signal strength. Based on the signal strength as depicted in the coverage map, the drive test was done to check the following parameters:
 - **a**. Coverage-Signal strength
 - **b**. Voice quality
 - c. Call setup success rate
 - d. Blocked calls e. Call drop rate
- ii. The drive test covered selected cities and adjoining towns/ rural areas where the service provider has commenced service, including congested areas and indoor sites.
- iii. The drive test covered the routes including expressways, major and secondary roads / streets, Commercial, residential areas/Commercials estates to check the in-building network performance.
- iv. The drive tests of each mobile network were conducted between 10 am and 8 pm on weekdays.
- v. The Vehicle used in the drive tests was equipped with the test tool that automatically generates calls on the mobile telephone networks.
- vi. The speed of the vehicle was kept at around 30-50 km/hour (around 30 km/hr in case of geographically small cities)
- vii. The holding period of each test call was 120 seconds.
- viii. A test call was generated 10 seconds after the previous test call is completed.
- ix. Measurement using engineering handsets was not done.
- x. The dedicated originating and terminating mobile unit's antenna was placed at the same height and in the same vehicle. Moreover, the height of the antenna was uniform in case of all service providers.

6.0 Reporting Formats:

We developed data formats including executive summary, critical findings and detailed data analysis thereof for reporting the results of such audit and assessment. We submitted to TRAI sample design and sample reporting formats within 4 weeks of signing of the agreement. All these reports were enabled as online reports with sufficient flexibility of querying against various parameters.

6.1 Deliverables:

Quarterly Reports: We are submitting quarterly reports in the formats approved by TRAI for the purpose. Five copies of such report during the quarterly period were submitted to TRAI within the time period given in the delivery schedule.

The report also contained the Audit results of service areas including executive summary, critical findings and comparison of performance of the service providers on various qualities of service parameters for which Audit work was undertaken during the *quarter*.

Reports were submitted for approval within one month of the completion of each *quarter* for audit and assessment of QoS parameters for basic service, cellular mobile service and broadband service. The report contained the findings on audit and assessment of QOS provided by service providers carried out in accordance with Clause 2 above. The report contained performance of each service provider for each licensed service area against the Quality of Service parameters. The report also contained a comparative analysis of performance of all the service providers in a licensed service area. The report also contained an Executive Summary and critical finding along with detailed analysis.

A separate report shall also be submitted for each company/group of companies at the end of the year. The report contained an Executive Summary and critical finding along with detailed analysis to share with the service provider and take further follow-up action.

7.0. Work Plan and Delivery Schedule:

S. No.	Deliverable	Period
	Date of award of work as per the contract say (D)	
1.	Submission of all sample design and reporting	D+4 weeks
	formats by the Audit agency	
2.	Submission of final design and reporting	
	formats by the Audit agency incorporating modifications	D+8 weeks
	and corrections suggested by TRAI and its acceptance	
3.		Beginning of – the quarter following date
	Commencement of audit and assessment of	of award of work (D) or any subsequent
	Quality of Service	quarter, as decided by TRAI
4.	Submission of first quarterly report	One month from the end of the first
	Submission of first quarterly report	quarter
5.	Submission of second quarterly report	One month from the end of the second
	submission of second quarterly report	quarter
6.	Submission of third quarterly report	One month from the end of the third
	such as some of time quarterly report	quarter
7.	Culturiasion of founds aroundarily manager	One month from the end of the fourth
	Submission of fourth quarterly report	quarter
8.	Commencement of audit and assessment of	From the end of the fourth quarter or
	Quality of Service for the first quarter for the extended	any later period as decided by TRAI
	period	
9.	Submission of first quarterly report for the extended	One month from the end of the first
	period, if any	quarter of extended period
10.	Submission of second quarterly report for the	One month from the end of the second
10.		quarter of extended period
	extended period, if any	
11.	Submission of third quarterly report for the extended	One month from the end of the third
	period, if any	quarter of extended period
12.		One month from the end of the fourth
12.	Submission of fourth quarterly report for the extended	
	period, if any	quarter of extended period
	1	

CHAPTER-2: EXECUTIVE SUMMARY

I. Preface

This report presents the growth trends for the telecom services in India for the quarter ending December 2013. This report provides a broad perspective on the Telecom Services to serve as a reference document for various stakeholders, research agencies and analysts. Under the Unified Access Service (UAS) Regime, the details of subscriber base under wireless services, both GSM & CDMA technologies have been combined.

This report highlights the findings for the audit & assessment of Quality of Service of Cellular Mobile Services, Wire line Services & Broadband Services in **South Circle** (Chennai) in 2nd quarter (Oct. – Dec. 2013). The primary data collection and verification of records (PMR data verification – quarterly) maintained by various operators was undertaken during the period Jan – Mar 2012.

Following are the various operators covered in Chennai circle (South Zone) for Cellular Mobile (Wireless) services QoS audit & assessment. The Month of audit & TCBH information is also given below:

S.I.	Name of Service Provider	Month of Audit	TCBH Hour							
	GSM Operators									
1	AircelLtd	OctDec'13	1900-2000 Hrs							
2	Airtel Ltd	OctDec'13	1900-2000 Hrs							
3	BSNL	OctDec'13	1900-2000 Hrs							
4	Idea	OctDec'13	1900-2000 Hrs							
5	Reliance Communication (GSM)	OctDec'13 1900-2000 H								
6	Tata Communications (GSM)	OctDec'13	1900-2000 Hrs							
7	Uninor	OctDec'13	1900-2000 Hrs							
8	Vodafone	OctDec'13	1900-2000 Hrs							
	CDMA O	perators								
9	MTS (CDMA)	OctDec'13	1900-2000 Hrs							
10	Reliance Communication (CDMA)	OctDec'13	1900-2000 Hrs							
11	Tata Communications (CDMA)	OctDec'13 1900-2000 Hi								

II. Findings from Quality of Service Audit (Operator wise for each parameter)

Verification of the Performance of Service Providers against the Quality of Service benchmarks laid down by TRAI using the data for the entire month during which the live measurement is carried out.

> As per PMR Data Verification Results for-

- Chennai Circle (Oct'13): Aircel 2G & 3G service provider are not meeting the benchmark for the parameter worst affected BTSs due to downtime and Aircel 3G is not meeting the benchmark for the parameter worst affected cells>3% TCH drop (Call drop) rate.
- Chennai Circle (Nov'13): From the month Data Assessment, it is found that Aircel (2G & 3G) operators are not meeting the benchmark for worst affected BTS due to downtime and Aircel 3G is not meeting the benchmark for worst affected cells having more than 3% TCH drop (call drop) rate.
- Chennai Circle (Dec'13): From the month Data Assessment, it is found that Aircel (2G & 3G) operators are not meeting the benchmark for worst affected BTS due to downtime and Aircel 3G is not meeting the benchmark of worst affected cells having more than 3% TCH drop (call drop) rate.

➤ As per 3 Days Live Test Audit Report (2nd Quarter), Chennai Circle:

Verification of the Performance of Service Providers against the Quality of Service benchmarks laid down by TRAI using Live measurements for 3 days during the month in which the Audit and Assessment is carried out.

- All operators are meeting the TRAI benchmarks for **Call Setup Success Rate** ≥ 95 for 3 days live data taken in the month of audit.
- All operators are meeting the TRAI benchmarks SDCCH/ Paging Channel Congestion ≤ 1 for 3 days live data taken in the month of audit except Idea.
- All operators are meeting the TRAI benchmarks for TCH congestion ≤ 2% for 3 days live data taken in the month of audit.
- All operators are meeting the TRAI benchmarks for Call Drop Rate ≤ 2% (<=2%) for 3 days live data taken in the month of audit.
- Aircel (2G & 3G), Vodafone, Idea and TATA (GSM & 3G) are not meeting the benchmark for worst affected cells having more than 3% TCH drop (call drop) rate.

- All operators are meeting the TRAI benchmarks "% of Connections with good voice quality ≥ 95%" for 3 days live data taken in the month of audit except TATA CDMA (NA).
- All operators are meeting the TRAI benchmarks **Point of Interconnections (POI) congestion** (on individual POI) \leq 0.5% (\leq 0.5%) for 3 days live data taken in the month of audit

As per Operator Assisted Drive Test:

The Operator Assisted Drive Test was conducted for all the Operators. Route covered was about 100 Km depending on city areas within the speed limit of 30-40 km/hour. In all the cities Zones were selected for covering different density areas (High/Medium/Low).

***** Chennai Circle:

- According to the table, it shows the no. of calls attempted in Chennai North.
- According to the table, it shows that the BSNL service provider is not meeting the benchmark for **Blocked Call Rate**.
- According to the table, it shows that all service provider are meeting the benchmark for Dropped Call Rate (<=2%).
- According to the table, it shows that **BSNL** is not meeting the benchmark for **Voice Quality (0-5** (with frequency hopping)) in Chennai.
- According to the table it shows that all service providers are meeting the benchmark of **indoor** (>= -75dBm).
- According to the table, it shows that all service providers are meeting their benchmark of Invehicle (>= -85dBm).
- According to the table, it shows that all service providers are meeting their benchmark of
 Outdoor- in city (>= -95dBm).
- According to the table, it shows that all the service providers are meeting the benchmark of Call
 Setup Success Rate.

Level 1 Live Calling (Emergency No.):-

• Level 1 calling such as calling at emergency no. like Police, Fire, and Ambulance were made so as to check the service of such short codes. In Chennai it was found to be functional.

CUSTOMER SERVICE QUALITY PARAMETERS

2nd Quarter data Assessment (Chennai Circle)

- According to the parameter metering/billing credibility post-paid in the table we found that all the service providers are meeting the benchmark
- According to the parameter metering /billing credibility pre-paid in the table we found that all the service providers are meeting the benchmark
- According to the parameter Resolution of billing/ charging complaints in the table we found that all the service providers are meeting the benchmark.
- According to the parameter Period of applying credit/waiver/adjustment to the customer's
 account from the date of resolutions of complaints in the table we found that all the service
 providers are meeting the benchmark.
- According to the parameter Accessibility of call centre/Customer Care in the table we found that all the service providers are meeting the benchmark.
- According to the parameter % call answered by operators (voice to voice) within 60 sec in the table we found that all the service providers are meeting the benchmark except Rcom (GSM & CDMA).
- According to the parameter no. of requests for Termination / Closure of service complied within
 7 days during the quarter in the table we found that all the service providers are meeting the benchmark.
- According to the parameter Time taken for refunds of deposits after closures in the table we found that all the service providers are meeting the benchmark

➤ Inter Operator Call Assessment:

• In the inter-operator call assessment test, calls were made from one operator to other operator so as to check congestion on both the operators' network. In such cases, the radio part, switch part & the POI in between the operators are involved and hence if any congestion is found in the network, it may be due to any of these parts. The result shows that there were congestion with BSNL, Rcom, Airtel and TATA GSM service providers.

CHAPTER-3: AUDIT -PMR DATA VERIFICATION RESULTS

3.0 Cellular Mobile Telephone Service

3.1 PMR Data Verification Results for

3.1.1 Chennai (Oct.'13):

Verification of the Performance of Service Providers against the Quality of Service benchmarks laid down by TRAI using the data for the entire month during which the live measurement is carried out.

	Chennai Circle (Oct'13)															
9	Oct month PMR Generation Data		Audit	Aircel	Aircel 3G	Airtel	Airtel 3G	BSNL	BSNL 3G	IDEA	Relian ce	TATA	Vodaf one	Relian ce	MTS	TATA
S/N	Name of Parameter	mark	Period					GSM O	perators					CDMA		
	Network Service Quality Parameter															
	Network Availability															
1	BTS Accumulated Downtime	≤ 2%	One Month	0.55%	0.96%	0.02%	0.06%	0.41%	0.94%	0.02%	0.42%	0.05%	0.02%	0.33%	0.05%	0.04%
	Worst affected BTSs due to downtime	≤ 2%	One Month	2.52%	7.35%	0.00%	0.00%	1.64%	1.92%	0.00%	1.29%	0.00%	0.05%	0.77%	0.16%	0.00%
	Connection Establishment (Accessibili	ity)														
	CSSR (Call Setup Success Rate)	≥ 95%	One Month	97.93%	98.61%	99.92%	99.76%	98.50%	97.27%	99.73%	99.72%	98.23%	99.59%	99.17%	99.43%	99.29%
2	SDCCH/PAGING Channel congestion	≤ 1%	One Month	0.25%	0.21%	0.01%	0.02%	0.52%	0.26%	0.06%	0.01%	0.01%	0.03%	0.00%	0.00%	0.00%
	TCH congestion	≤ 2%	One Month	0.85%	0.26%	0.01%	0.07%	1.50%	0.21%	0.11%	0.04%	0.02%	0.41%	0.00%	0.05%	0.06%
	Connection maintenance (Retainabilit	(y)														
	CDR (Call Drop Rate)	≤ 2%	One Month	0.53%	1.30%	0.16%	0.26%	0.63%	0.17%	0.43%	0.37%	0.84%	0.52%	0.05%	0.51%	0.23%
3	Worst affected cells>3% TCH drop (Call drop) rate	≤ 3%	One Month	0.54%	7.03%	0.09%	0.24%	2.64%	1.98%	0.52%	0.04%	0.73%	1.09%	0.12%	0.00%	0.77%
	Connections with good voice quality	≥ 95%	One Month	98.40%	98.29%	99.73%	98.62%	99.99%	96.79%	97.18%	99.00%	98.64%	98.77%	99.77%	98.25%	98.42%
	No. of POI's having >=0.5% POI congestion	≤ 0.5%	One Month	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

- Aircel 2G & 3G service provider are not meeting the benchmark for the parameter worst affected BTSs due to downtime.
- Aircel 3G is not meeting the benchmark for the parameter worst affected cells>3% TCH drop (Call drop) rate.

3.1.2 Chennai Circle (Nov'13):

Verification of the Performance of Service Providers against the Quality of Service benchmarks laid down by TRAI using the data for the entire month during which the live measurement is carried out.

	Chennai Circle (Nov'13)															
Nov	Nov month PMR Generation Data		Audit	Aircel	Aircel 3G	Airtel	Airtel 3G	BSNL	BSNL 3G	IDEA	Relian ce	TATA	Vodafo ne	Relianc e	MTS	ТАТА
S/N	Name of Parameter	mark	Period					GSM O	perators						CDMA	
	Network Service Quality Parameter															
1	1 Network Availability															
	BTS accumulated downtime	≤ 2%	One Month	0.45%	0.81%	0.02%	0.07%	0.40%	0.82%	0.01%	0.22%	0.03%	0.02%	0.25%	0.08%	0.05%
	Worst affected BTS due to downtime	≤ 2%	One Month	2.82%	7.50%	0.00%	0.20%	1.54%	1.77%	0.00%	0.17%	0.00%	0.05%	0.14%	0.24%	0.00%
2	Connection Establishment (Acc	essibility)														
	Call Setup Success Rate	≥ 95%	One Month	98.05%	98.38%	99.93%	99.78%	98.58%	98.19%	99.77%	99.70%	98.19%	99.77%	99.13%	99.47%	99.34%
	SDCCH/ Paging Channel Congestion/RRC congestion	≤ 1%	One Month	0.13%	0.21%	0.01%	0.01%	0.52%	0.86%	0.06%	0.04%	0.01%	0.02%	0.00%	0.00%	0.00%
	TCH congestion/ RAB Congestion	≤ 2%	One Month	0.88%	0.30%	0.01%	0.07%	1.42%	0.21%	0.09%	0.05%	0.02%	0.23%	0.00%	0.05%	0.02%
3	Connection maintenance (Reta	in ability)														
	Call Drop Rate	≤ 2%	One Month	0.51%	1.30%	0.16%	0.27%	0.62%	0.15%	0.42%	0.37%	0.82%	0.50%	0.06%	0.52%	0.27%
	Worst affected cells having more than 3% TCH drop (call drop) rate	≤ 3%	One Month	0.90%	8.01%	0.08%	0.33%	2.23%	1.88%	0.47%	0.02%	0.88%	0.98%	0.09%	0.00%	0.94%
	% of Connections with good voice quality	≥ 95%	One Month	97.98%	98.27%	99.73%	98.78%	99.98%	96.15%	97.36%	98.98%	98.54%	98.80%	99.78%	98.25%	98.37%
	Point of Interconnections (POI) congestion (on individual POI)	≤ 0.5%	One Month	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

- From the month Data Assessment, it is found that Aircel (2G & 3G) operators are not meeting the benchmark for **worst affected**BTS due to downtime.
- Aircel 3G is not meeting the benchmark for worst affected cells having more than 3% TCH drop (call drop) rate.

3.1.3 Chennai Circle (Dec'13):

Verification of the Performance of Service Providers against the Quality of Service benchmarks laid down by TRAI using the data for the entire month during which the live measurement is carried out.

	Chennai Circle (Dec'13)															
Dec	month PMR Generation Data	Bench	Audit	Aircel	Aircel 3G	Airtel	Airtel 3G	BSNL	BSNL 3G	IDEA	Reliance	TATA	Vodaf one	Reliance	MTS	TATA
S/N	Name of Parameter	mark	Period	GSM Operators										CDMA		
					Netv	vork Serv	ice Quali	ty Paramo	eter							
	Network Availability															
1	BTS accumulated downtime	≤ 2%	One Month	0.93%	1.05%	0.04%	0.08%	0.40%	0.56%	0.01%	0.17%	0.05%	0.02%	0.17%	0.02%	0.05%
	Worst affected BTS due to downtime	≤ 2%	One Month	8.36%	10.69%	0.00%	0.10%	1.70%	1.91%	0.00%	0.32%	0.12%	0.04%	0.37%	0.00%	0.00%
	Connection Establishment (Accessibility)															
	Call Setup Success Rate	≥ 95%	One Month	97.92%	97.64%	99.93%	99.75%	98.55%	97.94%	99.77%	99.28%	98.18%	99.62%	99.76%	99.47%	99.21%
2	SDCCH/ Paging Channel Congestion	≤ 1%	One Month	0.14%	0.52%	0.01%	0.01%	0.68%	0.72%	0.07%	0.00%	0.01%	0.02%	0.02%	0.00%	0.00%
	TCH congestion	≤ 2%	One Month	0.67%	0.13%	0.01%	0.12%	1.45%	0.22%	0.12%	0.00%	0.02%	0.38%	0.03%	0.46%	0.03%
	Connection maintenance (Retain	ability)														
	Call Drop Rate	≤ 2%	One Month	0.49%	1.30%	0.16%	0.28%	0.67%	0.15%	0.39%	0.04%	0.83%	0.49%	0.35%	0.24%	0.42%
3	Worst affected cells having more than 3% TCH drop (call drop) rate	≤ 3%	One Month	0.77%	8.84%	0.08%	0.38%	1.67%	1.86%	0.43%	0.05%	0.60%	1.36%	0.01%	0.00%	0.19%
	% of Connections with good voice quality	≥ 95%	One Month	97.99%	98.11%	99.73%	98.80%	99.99%	95.45%	97.52%	99.78%	98.54%	98.85%	99.04%	98.26%	99.84%
	Point of Interconnections (POI) congestion (on individual POI)	≤ 0.5%	One Month	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

- From the month Data Assessment, it is found that Aircel (2G & 3G) operators are not meeting the benchmark for **worst affected**BTS due to downtime.
- Aircel 3G is not meeting the benchmark of worst affected cells having more than 3% TCH drop (call drop) rate.

3.1.4 PMR Summarized Data Results in Table Chennai Circle Q2 (Oct.-Dec'13):

	Chennai Circle Q2 (Oct Dec.'13)															
9	Q2 PMR Generation Data	Bench	Audit	Aircel	Aircel 3G	Airtel	Airtel 3G	BSNL	BSNL 3G	IDEA	Reliance	TATA	Vodafo ne	Reliance	MTS	ТАТА
S/N	Name of Parameter	mark	Period			CDMA										
	Network Service Quality Parameter															
	Network Availability															
1	BTS accumulated downtime	2%	One Qtr	0.64%	0.94%	0.03%	0.07%	0.40%	0.77%	0.01%	0.27%	0.04%	0.02%	0.25%	0.05%	0.05%
	Worst affected BTS due to downtime	2%	One Qtr	4.57%	8.51%	0.00%	0.10%	1.63%	1.87%	0.00%	0.59%	0.04%	0.05%	0.43%	0.13%	0.00%
	Connection Establishment (Accessibility)															
	Call Setup Success Rate	95%	One Qtr	97.97%	98.21%	99.93%	99.76%	98.54%	97.80%	99.76%	99.57%	98.20%	99.66%	99.35%	99.46%	99.28%
2	SDCCH/ Paging Channel Congestion	1%	One Qtr	0.17%	0.52%	0.01%	0.01%	0.68%	0.72%	0.07%	0.00%	0.01%	0.02%	0.02%	0.00%	0.00%
	TCH congestion	2%	One Qtr	0.80%	0.13%	0.01%	0.12%	1.45%	0.22%	0.12%	0.00%	0.02%	0.38%	0.03%	0.46%	0.03%
	Connection maintenance (Reta	in ability	r)													
	Call Drop Rate	2%	One Qtr	0.51%	1.30%	0.16%	0.27%	0.64%	0.16%	0.41%	0.26%	0.83%	0.50%	0.15%	0.42%	0.31%
3	Worst affected cells having more than 3% TCH drop (call drop) rate	3%	One Qtr	0.74%	7.96%	0.08%	0.32%	2.18%	1.91%	0.47%	0.04%	0.74%	1.14%	0.07%	0.00%	0.63%
	% of Connections with good voice quality	95%	One Qtr	98.12%	98.22%	99.73%	98.73%	99.99%	96.13%	97.35%	99.25%	98.57%	98.81%	99.53%	98.25%	98.88%
	Point of Interconnections (POI) congestion (on individual POI)	0.5%	One Qtr	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Finding:-

- Aircel (2G & 3G) is not meeting the benchmark for worst affected BTS due to downtime.
- Aircel 3G is not meeting the benchmark for worst affected cells having more than 3% TCH drop (call drop) rate.

3.1.5 Comparison between the data given by TRAI and the data collected by Audit Agency (Chennai)

S.N	Parameter name	Bench mark	Audit	Average period	Aircel	Airtel	BSNL	Idea	RCOM GSM	TATA GSM	Vodafone	RCOM CDMA	TATA CDMA
					Netwo	ork Availa	ability						
1	BTS accumulated downtime	2%	Report	0 04	0.64%	0.02%	0.40%	0.01%	0.26%	0.04%	0.02%	0.24%	0.05%
1	B1S accumulated downtime	2%	Verified	One Qtr	0.64%	0.03%	0.40%	0.01%	0.27%	0.04%	0.02%	0.25%	0.05%
2	Worst affected BTS due to	2%	Report	One Otr	4.57%	0.00%	1.60%	0.00%	0.56%	0.00%	0.05%	0.38%	0.00%
2	downtime	2%	Verified	One Qtr	4.57%	0.00%	1.63%	0.00%	0.59%	0.04%	0.05%	0.43%	0.00%
	Connection establishment (Accessibility)												
3	Call Satur Suggess Data	95%	Report	One Otr	97.97%	99.93%	100.00%	99.66%	99.73%	98.21%	99.66%	99.19%	99.32%
3	Call Setup Success Rate	93%	Verified	One Qu	97.97%	99.93%	<mark>98.54%</mark>	99.76%	<mark>99.57%</mark>	98.20%	99.66%	99.35%	99.28%
	SDCCH/ Paging Channel	1%	Report	One Otr	0.17%	0.01%	0.23%	0.07%	0.02%	0.01%	0.02%	0.00%	0.00%
	Congestion	1 70	Verified	One Qu	0.17%	0.01%	<mark>0.68%</mark>	0.07%	0.00%	0.01%	0.02%	0.02%	0.00%
5	TCH congestion	2%	Report	One Otr	0.80%	0.01%	0.37%	0.11%	0.04%	0.02%	0.34%	0.00%	0.04%
3	Terr congestion	270	Verified	One Qu	0.80%	0.01%	1.45%	0.12%	0.00%	0.02%	0.38%	0.03%	0.03%
				Connec	tion Main	tainabilit	y (Retain	ability)					
6	Call Drop Rate	2%	Report	One Otr	0.51%	0.16%	0.70%	0.57%	0.36%	0.83%	0.50%	0.05%	0.25%
0	Can Diop Rate	270	Verified	One Qu	0.51%	0.16%	0.64%	0.41%	0.26%	0.83%	0.50%	0.15%	0.31%
7	Worst affected cells having more	3%	Report	One Otr	0.74%	0.08%	1.27%	0.58%	0.02%	0.81%	1.14%	0.09%	0.85%
,	than 3% TCH drop (call drop) rate		Verified	One Qu	0.74%	0.08%	2.18%	0.47%	0.04%	0.74%	1.14%	0.07%	0.63%
8	% of Connections with good voice	95%	Report	Oma Otu	98.00%	99.73%	100.00%	97.20%	99.01%	98.59%	98.81%	99.78%	98.40%
0	quality	93%	Verified	One Qtr	98.12%	99.73%	<mark>99.99%</mark>	<mark>97.35%</mark>	<mark>99.25%</mark>	<mark>98.57%</mark>	98.81%	<mark>99.53%</mark>	<mark>98.88%</mark>
0	Point of Interconnections (POI)	0.50/	Report	One Qtr	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
9	congestion (on individual POI)	0.5%	Verified		0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Findings:-

According to the data given by TRAI and data collected by agency, there are minor differences in most of the data in decimal part. The difference data are shown in highlights.

3.2 3 Days Live Test Audit Report (2nd Quarter), Chennai Circle:

Verification of the Performance of Service Providers against the Quality of Service benchmarks laid down by TRAI using Live measurements for 3 days during the month in which the Audit and Assessment is carried out.

Chennai(Oct-Dec'13)																
2	3 days Live Test Audit I	<u>Data</u>	DATE	AIRCEL 2G	AIRCEL 3G	AIRTEL 2G	BSNL 2G	BSNL 3G	IDEA 2G	Vodafo ne	Vodafone 3G	TATA	RCOM	MTS	RCOM	TATA
S.N	PARAMETER	BENCH MARK	DATE					GSM O	perators					CDMA		
	Network Availability												1			
			Day 1	0.78%	1.26%	0.05%	0.85%	1.32%	0.03%	0.00%	0.00%	0.01%	0.02%	0.02%	0.00%	0.03%
	BTS accumulated downtime	≤ 2%	Day 2	0.78%	1.26%	0.05%	0.85%	1.32%	0.03%	0.00%	0.00%	0.01%	0.02%	0.02%	0.00%	0.03%
1			Day 3	0.78%	1.26%	0.05%	0.85%	1.32%	0.03%	0.00%	0.00%	0.01%	0.02%	0.02%	0.00%	0.03%
			Day 1	0.05%	0.86%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	Worst affected BTS due to downtime	≤ 2%	Day 2	0.05%	0.86%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
			Day 3	0.05%	0.86%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Connection establishment (Accessibility)																
			Day 1	98.82%	97.75%	99.92%	98.20%	97.39%	99.78%	99.73%	99.76%	98.21%	99.76%	99.54%	99.22%	98.52%
	Call Setup Success Rate	≥ 95%	Day 2	98.93%	97.14%	99.93%	98.70%	97.56%	99.76%	99.59%	99.80%	98.22%	99.76%	99.55%	99.23%	98.81%
			Day 3	98.78%	96.61%	99.92%	98.20%	97.89%	99.78%	99.63%	99.75%	98.23%	99.75%	99.50%	99.41%	98.83%
	SDCCH/ Paging Channel Congestion	≤ 1%	Day 1	0.27%	0.41%	0.01%	0.32%	0.02%	0.06%	0.01%	0.04%	0.02%	0.01%	0.00%	0.00%	0.00%
2			Day 2	0.14%	0.19%	0.01%	0.29%	0.07%	0.05%	0.02%	0.00%	0.01%	0.01%	0.00%	0.00%	0.00%
			Day 3	0.22%	0.13%	0.01%	0.31%	0.11%	0.05%	0.02%	0.03%	0.01%	0.08%	0.00%	0.00%	0.00%
			Day 1	0.79%	0.18%	0.01%	1.76%	0.86%	0.11%	0.27%	0.01%	0.01%	0.03%	0.04%	0.00%	0.50%
	TCH congestion	≤ 2%	Day 2	0.70%	0.07%	0.00%	1.32%	0.96%	0.11%	0.41%	0.00%	0.01%	0.04%	0.04%	0.00%	0.18%
			Day 3	0.82%	0.17%	0.01%	1.76%	1.30%	0.10%	0.37%	0.02%	0.00%	0.04%	0.05%	0.00%	0.35%
Con	nection Maintainability	(Retain a	ability)			T	Π		T	T			T	T	1 1	
			Day 1	0.51%	1.26%	0.17%	0.68%	0.26%	0.38%	0.50%	0.33%	0.88%	0.34%	0.45%	0.02%	0.53%
	Call Drop Rate	≤ 2%	Day 2	0.49%	1.20%	0.16%	0.56%	0.26%	0.38%	0.53%	0.33%	0.89%	0.34%	0.44%	0.01%	0.53%
3			Day 3	0.51%	1.24%	0.19%	0.58%	0.40%	0.38%	0.51%	0.36%	0.87%	0.35%	0.44%	0.01%	0.51%
	Worst affected cells having more than 3% TCH drop	≤ 3%	Day 1	1.18%	10.50%	0.09%	2.48%	1.46%	1.71%	1.36%	2.79	1.83%	0.02%	0.00%	0.08%	1.56%
	(call drop) rate		Day 2	1.18%	10.50%	0.09%	2.34%	1.46%	1.71%	1.64%	2.95%	1.83%	0.02%	0.00%	0.08%	1.56%

			Day 3	1.18%	10.50%	0.09%	2.44%	1.46%	1.71%	1.67%	2.26%	1.83%	0.02%	0.00%	0.08%	1.56%
	% of Connections with good voice quality		Day 1	97.90%	98.22%	99.72%	99.93%	99.40%	97.48%	98.87%	99.00%	98.56%	99.05%	98.27%	99.78%	98.83%
		≥ 95%	Day 2	98.08%	97.95%	99.72%	99.93%	99.21%	97.59%	98.84%	99.00%	98.57%	99.05%	98.27%	99.78%	98.83%
			Day 3	97.9%.	98.00%	99.70%	99.92%	99.16%	97.68%	98.84%	98.99%	98.60%	99.03%	98.25%	99.77%	98.80%
	Point of Interconnections (POI) congestion (on individual POI)		Day 1	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
		≤ 0.5%	Day 2	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
			Day 3	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Finding & Critical Analysis:

• Aircel 3G is not meeting the benchmark for worst affected cells having more than 3% TCH drop (call drop) rate.

3.3 Operator Assisted Drive Test (Chennai Circle):

The Operator Assisted Drive Test was conducted for all the Operators. Route covered was about 100 Km depending on city areas within the speed limit of 30-40 km/hour. In all the cities Zones were selected for covering different density areas (High/Medium/Low).

	Drive Test Measurements														
G 33	5 .	CIL. N			GS	CDMA Operators									
S.N	Parameter	City Name	Airtel	Idea	Vodafone	BSNL	Aircel	RCOM GSM	TATA GSM	RCOM CDMA	TATA CDMA	MTS			
1.1	Call Attempts	Chennai North	531	450	474	527	498	496	620	498	490	538			
1.2	Blocked Call Rate (<=3%)	Chennai North	1.13%	0.67%	0.00%	3.20%	0.40%	1.61%	0.00%	0.00%	0.00%	0.00%			
1.3	.3 Dropped Call Rate (<=2%) Chennai North 0.19% 0.00% 0.20% 1.20% 0.60% 0.00% 0.32% 0.20% 1.00%														
	Percentage of connections with good voice quality (=>95%)														
1.4	(i) 0-4 (w/o frequency hopping)	Chennai North	1	-	-	ı	-	-	-	-	-	-			
	(ii) 0-5 (with frequency hopping)	Chennai North	97.48%	97.20%	97.50%	93.00%	96.15%	96.80%	96.56%	97.17%	97.97%	98.42%			
	Service Coverage														
1.5	In door (>= -75dBm)	Chennai North	66.24%	93.70%	92.00%	93.00%	80.00%	99.32%	95.52%	73.60%	79.45%	83.47%			
1.5	In-vehicle (>= -85dBm)	Chennai North	87.94%	99.60%	99.00%	99.00%	71.00%	99.72%	99.92%	99.90%	20.54%	99.89%			
	Outdoor- in city (>= -95dBm)	Chennai North	100.00%	100.00%	100.00%	100.00%	93.00%	100.00%	100.00%	100.00%	0.00%	100.00%			
1.6	Call Setup Success Rate (>=95%)	Chennai North	98.68%	99.33%	98.52%	96.30%	99.59%	98.40%	99.68%	100.00%	100.00%	100.00%			
1.7	Hand Over Success Rate (HOSR)	Chennai North	99.20%	99.69%	99.20%	94.50%	99.16%	99.30%	98.86%	100.00%	100.00%	99.93%			

- According to the table, it shows the no. of calls attempted in Chennai North.
- According to the table, it shows that the BSNL service provider is not meeting the benchmark for Blocked Call Rate.
- According to the table, it shows that all service provider are meeting the benchmark for **Dropped** Call Rate (<=2%).
- According to the table, it shows that **BSNL** is not meeting the benchmark for **Voice Quality (0-5 (with frequency hopping))** in Chennai.
- According to the table it shows that all service providers are meeting the benchmark of indoor (>= -75dBm).
- According to the table, it shows that all service providers are meeting their benchmark of Invehicle (>= -85dBm).
- According to the table, it shows that all service providers are meeting their benchmark of Outdoor- in city (>= -95dBm).
- According to the table, it shows that all the service providers are meeting the benchmark of Call
 Setup Success Rate.

3.4 CUSTOMER SERVICE QUALITY PARAMETERS

3.4.1 2nd Quarter data Assessment:

l.	Chennai												
	PMR	Benchmark	Audit	Aircel	Airtel	BSNL	Idea	Rcom GSM	Tata GSM	Vodafone	Rcom CDMA	Tata CDMA	MTS
S.N	Name of Parameter	Denemiark	Tuait			GS	M Opera			CDN	itors		
(B)	Customer Service Quality Parameters												
1	Metering/billing credibility Post paid	<= 0.1%	Reported	0.04%	0.03%	0.09%	0.08%	0.09%	0.02%	0.01%	0.04%	0.03%	0.01%
	Wetering oming erectionity I ost paid	\= 0.170	Verified	0.04%	0.03%	0.09%	0.08%	0.09%	0.02%	0.01%	0.04%	0.03%	0.01%
2	Metering /billing credibility Pre paid	<= 0.1%	Reported	0.02%	0.02%	0.10%	0.03%	0.07%	0.06%	0.05%	0.06%	0.05%	0.02%
2	Metering /oining credibility Fie paid	<- 0.170	Verified	0.02%	0.02%	0.10%	0.03%	0.07%	0.06%	0.05%	0.06%	0.05%	0.02%
_	D 1 (C131 / 1) 1 / 1	100% within	Reported	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
3	Resolution of billing/ charging complaints	4 weeks	Verified	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
4	Period of applying credit/waiver/adjustment to the customer's account from the date of	. 1 1	Reported	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
4	resolutions of complaints	<=1 week	Verified	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
5	Response time to customers for assistance			•	•		•	•		•	•	•	
		. 050/	Reported	100.00%	100.00%	100.00%	96.50%	97.30%	100.00%	100.00%	95.50%	99.50%	96.00%
	a) Accessibility of call centre/Customer Care	>=95%	Verified	100.00%	100.00%	100.00%	96.50%	97.30%	100.00%	100.00%	95.50%	99.50%	96.00%
	b) % call answered by operators (voice to voice)	>=90%	Reported	93.00%	91.00%	94.05%	92.00%	87.00%	90.00%	91.00%	89.00%	96.50%	95.00%
	within 60 sec.	>=90%	Verified	93.00%	91.00%	94.05%	92.00%	87.00%	90.00%	91.00%	89.00%	96.50%	95.00%
6	Termination/closure of service												
	No. of requests for Termination / Closure of	. 71	Reported	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
	service complied within 7 days during the quarter	<=7days	Verified	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
7		100% within	Reported	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
/	Time taken for refunds of deposits after closures.	60 days	Verified	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%

Finding & Critical Analysis:-

- According to the parameter metering/billing credibility post-paid in the table we found that all the service providers are meeting the benchmark
- According to the parameter metering /billing credibility pre-paid in the table we found that all the service providers are meeting the benchmark
- According to the parameter Resolution of billing/ charging complaints in the table we found that all
 the service providers are meeting the benchmark.
- According to the parameter Period of applying credit/waiver/adjustment to the customer's account from the date of resolutions of complaints in the table we found that all the service providers are meeting the benchmark.
- According to the parameter Accessibility of call centre/Customer Care in the table we found that all the service providers are meeting the benchmark.
- According to the parameter % call answered by operators (voice to voice) within 60 sec in the table
 we found that all the service providers are meeting the benchmark except Rcom (GSM & CDMA).
- According to the parameter no. of requests for Termination / Closure of service complied within 7
 days during the quarter in the table we found that all the service providers are meeting the
 benchmark.
- According to the parameter Time taken for refunds of deposits after closures in the table we found that all the service providers are meeting the benchmark.

3.5 Redressal

3.5.1 Level 1 Live Calling (Emergency No.):- Level 1 calling such as calling at emergency no. Police, Fire, and Ambulance were made so as to check the service of such short codes. In Chennai we have dialed 5 times from each service providers' no. i.e. we have done 150 calls to the 3 emergency numbers.

Emergency No.	No. of calls	Vodafone	Airtel	Idea	Uninor	Aircel	BSNL	Rcom GSM	Tata GSM	RCOM CDMA	Tata CDMA
				Cl	HENNAI						
100(Police)	50	5	5	5	5	5	5	5	5	5	5
101 (Fire)	50	5	5	5	5	5	5	5	5	5	5
108(Ambulance)	50	5	5	5	5	5	5	5	5	5	5

Critical Analysis:-

Level 1 calling such as calling at emergency no. like Police, Fire, and Ambulance were made so as to check the service of such short codes. In Chennai it was found to be functional.

3.6 Inter Operator Call Assessment

3.6.1 Sample coverage

A sample of 2x50 test calls per Service Provider within the licensed service area (Chennai circle) were made between 1100 to 1400 hrs and 1600 to 1900 hrs so that TCBH hours for all the operators were covered.

Performance Based on Live Measurement

r er for mai	icc Dascu	OH LIVE I	icasui cii	ICIII						
Calling Operator	Vodafone	Airtel	Idea	Aircel	BSNL	Rcom GSM	Tata GSM	RCOM CDMA	Tata CDMA	MTS
Vodafone	-	100.00%	100.00%	100.00%	99.60%	100.00%	100.00%	100.00%	100.00%	100.00%
Airtel	100.00%	-	100.00%	100.00%	97.00%	98.00%	100.00%	99.00%	100.00%	100.00%
Idea	100.00%	100.00%	-	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
Aircel	100.00%	100.00%	100.00%	-	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
BSNL	100.00%	99.50%	100.00%	100.00%	-	99.00%	98.00%	100.00%	100.00%	100.00%
Rcom GSM	100.00%	100.00%	100.00%	100.00%	97.00%	-	100.00%	100.00%	100.00%	100.00%
Tata GSM	100.00%	100.00%	100.00%	100.00%	98.60%	98.50%	-	100.00%	100.00%	100.00%
RCOM CDMA	100.00%	99.60%	100.00%	100.00%	98.00%	100.00%	100.00%	-	100.00%	100.00%
Tata CDMA	100.00%	100.00%	100.00%	100.00%	100.00%	99.00%	100.00%	100.00%	1	100.00%
MTS	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	-

Critical Analysis:-

In the inter-operator call assessment test, calls were made from one operator to other operator so as to check congestion on both the operators' network. In such cases, the radio part, switch part & the POI in between the operators are involved and hence if any congestion is found in the network, it may be due to any of these parts. The result shows that there were congestion with BSNL, Rcom, Airtel and TATA GSM service providers.

CAPTER-4: DETAILED FINDINGS, ANALYSIS AND GRAPHICAL REPRESENTATION

4.0 Cellular Mobile Telephone Service

4.1 3 Days Live Test Audit Report (2nd Quarter), Chennai Circle: Verification of the Performance of Service Providers against the Quality of Service benchmarks laid down by TRAI using Live measurements for 3 days during the month in which the Audit and Assessment is carried out.

						C	hennai(Oct-Dec'	13)							
3	days Live Test Audit	Data	DATE	AIRCEL 2G	AIRCEL 3G	AIRTEL 2G	BSNL 2G	BSNL 3G	IDEA 2G	Vodafo ne	Vodafone 3G	TATA	RCOM	MTS	RCOM	TATA
S.N	PARAMETER	BENCH MARK	DAIL					GSM O	perators						CDMA	
	Network Availability	7														
			Day 1	0.78%	1.26%	0.05%	0.85%	1.32%	0.03%	0.00%	0.00%	0.01%	0.02%	0.02%	0.00%	0.03%
	BTS accumulated downtime	≤ 2%	Day 2	0.78%	1.26%	0.05%	0.85%	1.32%	0.03%	0.00%	0.00%	0.01%	0.02%	0.02%	0.00%	0.03%
1			Day 3	0.78%	1.26%	0.05%	0.85%	1.32%	0.03%	0.00%	0.00%	0.01%	0.02%	0.02%	0.00%	0.03%
1			Day 1	0.05%	0.86%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	Worst affected BTS due to downtime	≤ 2%	Day 2	0.05%	0.86%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
			Day 3	0.05%	0.86%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Con	nection establishment	(Accessi	bility)													
			Day 1	98.82%	97.75%	99.92%	98.20%	97.39%	99.78%	99.73%	99.76%	98.21%	99.76%	99.54%	99.22%	98.52%
	Call Setup Success Rate	≥ 95%	Day 2	98.93%	97.14%	99.93%	98.70%	97.56%	99.76%	99.59%	99.80%	98.22%	99.76%	99.55%	99.23%	98.81%
			Day 3	98.78%	96.61%	99.92%	98.20%	97.89%	99.78%	99.63%	99.75%	98.23%	99.75%	99.50%	99.41%	98.83%
			Day 1	0.27%	0.41%	0.01%	0.32%	0.02%	0.06%	0.01%	0.04%	0.02%	0.01%	0.00%	0.00%	0.00%
2	SDCCH/ Paging Channel Congestion	≤ 1%	Day 2	0.14%	0.19%	0.01%	0.29%	0.07%	0.05%	0.02%	0.00%	0.01%	0.01%	0.00%	0.00%	0.00%
			Day 3	0.22%	0.13%	0.01%	0.31%	0.11%	0.05%	0.02%	0.03%	0.01%	0.08%	0.00%	0.00%	0.00%
			Day 1	0.79%	0.18%	0.01%	1.76%	0.86%	0.11%	0.27%	0.01%	0.01%	0.03%	0.04%	0.00%	0.50%
	TCH congestion	≤ 2%	Day 2	0.70%	0.07%	0.00%	1.32%	0.96%	0.11%	0.41%	0.00%	0.01%	0.04%	0.04%	0.00%	0.18%
			Day 3	0.82%	0.17%	0.01%	1.76%	1.30%	0.10%	0.37%	0.02%	0.00%	0.04%	0.05%	0.00%	0.35%
Con	nection Maintainabili	ty (Retai	n ability	7)												
3	Call Drop Rate	≤ 2%	Day 1	0.51%	1.26%	0.17%	0.68%	0.26%	0.38%	0.50%	0.33%	0.88%	0.34%	0.45%	0.02%	0.53%
	Can Drop Rate	_ 270	Day 2	0.49%	1.20%	0.16%	0.56%	0.26%	0.38%	0.53%	0.33%	0.89%	0.34%	0.44%	0.01%	0.53%

		Day 3	0.51%	1.24%	0.19%	0.58%	0.40%	0.38%	0.51%	0.36%	0.87%	0.35%	0.44%	0.01%	0.51%
Worst affected cells		Day 1	1.18%	10.50%	0.09%	2.48%	1.46%	1.71%	1.36%	2.79	1.83%	0.02%	0.00%	0.08%	1.56%
having more than 3%	≤ 3%	Day 2	1.18%	10.50%	0.09%	2.34%	1.46%	1.71%	1.64%	2.95%	1.83%	0.02%	0.00%	0.08%	1.56%
TCH drop (call drop) rate		Day 3	1.18%	10.50%	0.09%	2.44%	1.46%	1.71%	1.67%	2.26%	1.83%	0.02%	0.00%	0.08%	1.56%
		Day 1	97.90%	98.22%	99.72%	99.93%	99.40%	97.48%	98.87%	99.00%	98.56%	99.05%	98.27%	99.78%	98.83%
% of Connections with good voice quality	≥ 95%	Day 2	98.08%	97.95%	99.72%	99.93%	99.21%	97.59%	98.84%	99.00%	98.57%	99.05%	98.27%	99.78%	98.83%
		Day 3	97.9%.	98.00%	99.70%	99.92%	99.16%	97.68%	98.84%	98.99%	98.60%	99.03%	98.25%	99.77%	98.80%
Point of Interconnections		Day 1	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
(POI) congestion (on individual POI)	≤ 0.5%	Day 2	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
ilidividuai POI)		Day 3	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

Finding & Critical Analysis:

- All operators are meeting the TRAI benchmarks for Call Setup Success Rate ≥ 95 for 3 days live
 data taken in the month of audit.
- All operators are meeting the TRAI benchmarks SDCCH/ Paging Channel Congestion ≤ 1 for 3
 days live data taken in the month of audit except Idea.
- All operators are meeting the TRAI benchmarks for TCH congestion $\leq 2\%$ for 3 days live data taken in the month of audit.
- All operators are meeting the TRAI benchmarks for Call Drop Rate $\leq 2\%$ (<=2%) for 3 days live data taken in the month of audit.
- Aircel (2G & 3G), Vodafone, Idea and TATA (GSM & 3G) are not meeting the benchmark for worst affected cells having more than 3% TCH drop (call drop) rate.
- All operators are meeting the TRAI benchmarks "% of Connections with good voice quality ≥ 95%" for 3 days live data taken in the month of audit except TATA CDMA (NA).
- All operators are meeting the TRAI benchmarks **Point of Interconnections (POI) congestion (on individual POI)** \leq **0.5%** (\leq 0.5%) for 3 days live data taken in the month of audit

4.2 CUSTOMER SERVICE QUALITY PARAMETERS (Graphical Representation)

4.2.1 2nd Quarter data Assessment:

I.	Chennai												
	PMR	D	A 3*4	Aircel	Airtel	BSNL	Idea	Rcom GSM	Tata GSM	Vodafone	Rcom CDMA	Tata CDMA	MTS
S.N	Name of Parameter	Benchmark	Audit			GS	M Opera	tors			CD	MA Oper	ators
(B)	Customer Service Quality Parameters												
1	Metering/billing credibility Post paid	<= 0.1%	Reported	0.04%	0.03%	0.09%	0.08%	0.09%	0.02%	0.01%	0.04%	0.03%	0.01%
1	Metering/binning credibility Post paid	<= 0.1%	Verified	0.04%	0.03%	0.09%	0.08%	0.09%	0.02%	0.01%	0.04%	0.03%	0.01%
2	Metering /billing credibility Pre paid	<= 0.1%	Reported	0.02%	0.02%	0.10%	0.03%	0.07%	0.06%	0.05%	0.06%	0.05%	0.02%
2	Metering /bining credibility Fre paid	<= 0.1%	Verified	0.02%	0.02%	0.10%	0.03%	0.07%	0.06%	0.05%	0.06%	0.05%	0.02%
3	Resolution of billing/ charging complaints	100% within	Reported	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
3	Resolution of billing/ charging complaints	4 weeks	Verified	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
4	Period of applying credit/waiver/adjustment to the	. 1 1	Reported	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
4	customer's account from the date of resolutions of complaints	<=1 week	Verified	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
5	Response time to customers for assistance					•							
	a) Associatility of call control(Cyctomor Conc	>=95%	Reported	100.00%	100.00%	100.00%	96.50%	97.30%	100.00%	100.00%	95.50%	99.50%	96.00%
	a) Accessibility of call centre/Customer Care	>=95%	Verified	100.00%	100.00%	100.00%	96.50%	97.30%	100.00%	100.00%	95.50%	99.50%	96.00%
	b) % call answered by operators (voice to voice)	>=90%	Reported	93.00%	91.00%	94.05%	92.00%	<mark>87.00%</mark>	90.00%	91.00%	<mark>89.00%</mark>	96.50%	95.00%
	within 60 sec.	>=90%	Verified	93.00%	91.00%	94.05%	92.00%	87.00%	90.00%	91.00%	89.00%	96.50%	95.00%
	Termination/closure of service												
6	No. of requests for Termination / Closure of		Reported	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
	service complied within 7 days during the quarter	<=7days	Verified	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
7	Time taken for refunds of deposits after closures.	100% within	Reported	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
/	Time taken for fermios of deposits after closures.	60 days	Verified	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%




Fig. 1
According to the parameter metering/billing credibility post-paid in the table 4.2.1 and the Fig.1 we found that all the service providers are meeting the benchmark




Fig. 2
According to the parameter metering /billing credibility pre-paid in the table 4.2.1 and the Fig. 2 we found that all the service providers are meeting the benchmark.




Fig. 3
According to the parameter Resolution of billing/ charging complaints in the table 4.2.1 and the Fig. 3 we found that all the service providers are meeting the benchmark.




Fig. 4
According to the parameter Period of applying credit/waiver/adjustment to the customer's account from the date of resolutions of complaints in the table **4.2.1** and the Fig. 4 we found that all the service providers are meeting the benchmark.




Fig. 5
According to the parameter Accessibility of call centre/Customer Care in the table **4.2.1** and the Fig. 5 we found that all the service providers are meeting the benchmark.




Fig. 6 According to the parameter % call answered by operators (voice to voice) within 60 sec in the table 4.2.1 and the Fig. 6 we found that all the service providers are meeting the benchmark except Rcom (GSM & CDMA).




Fig. 7
According to the parameter no. of requests for Termination / Closure of service complied within 7 days during the quarter in the table **4.2.1** and the Fig. 7 we found that all the service providers are meeting the benchmark.




Fig. 8
According to the parameter Time taken for refunds of deposits after closures in the table **4.2.1** and the Fig.8 we found that all the service providers are meeting the benchmark.

4.3 PMR Summarized Data Results in Table & Graphical

4.3.1 Chennai Circle Summarized data Q2 (Oct.-Dec'13):

					Che	nnai Ci	rcle Q2	(Oct D	Dec.'13)									
9	O2 PMR Generation Data	Bench	Audit	Aircel	Aircel 3G	Airtel	Airtel 3G	BSNL	BSNL 3G	IDEA	Reliance	TATA	Vodafo ne	Reliance	MTS	ТАТА		
S/N	Name of Parameter	mark	Period					GSM	Operator	s				CDMA				
					No	etwork Se	rvice Qua	ality Para	meter									
	Network Availability																	
1	BTS accumulated downtime	≤ 2%	One Month	0.64%	0.94%	0.03%	0.07%	0.40%	0.77%	0.01%	0.27%	0.04%	0.02%	0.25%	0.05%	0.05%		
	Worst affected BTS due to downtime	≤ 2%	One Month	4.57%	8.51%	0.00%	0.10%	1.63%	1.87%	0.00%	0.59%	0.04%	0.05%	0.43%	0.13%	0.00%		
	Connection Establishment (Ac	cessibility	y)															
	Call Setup Success Rate	≥ 95%	One Month	97.97%	98.21%	99.93%	99.76%	98.54%	97.80%	99.76%	99.57%	98.20%	99.66%	99.35%	99.46%	99.28%		
2	SDCCH/ Paging Channel Congestion	≤ 1%	One Month	0.17%	0.52%	0.01%	0.01%	0.68%	0.72%	0.07%	0.00%	0.01%	0.02%	0.02%	0.00%	0.00%		
	TCH congestion	≤ 2%	One Month	0.80%	0.13%	0.01%	0.12%	1.45%	0.22%	0.12%	0.00%	0.02%	0.38%	0.03%	0.46%	0.03%		
	Connection maintenance (Reta	ain ability	·)															
	Call Drop Rate	≤ 2%	One Month	0.51%	1.30%	0.16%	0.27%	0.64%	0.16%	0.41%	0.26%	0.83%	0.50%	0.15%	0.42%	0.31%		
3	Worst affected cells having more than 3% TCH drop (call drop) rate	≤ 3%	One Month	0.74%	7.96%	0.08%	0.32%	2.18%	1.91%	0.47%	0.04%	0.74%	1.14%	0.07%	0.00%	0.63%		
	% of Connections with good voice quality	≥ 95%	One Month	98.12%	98.22%	99.73%	98.73%	99.99%	96.13%	97.35%	99.25%	98.57%	98.81%	99.53%	98.25%	98.88%		
	Point of Interconnections (POI) congestion (on individual POI)	≤ 0.5%	One Month	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%		




Fig.1 According to the data on the table **4.3.1** and the Fig.1 it is found that found that all the service providers are meeting the benchmark.




Fig.2 According to the data on the table **4.3.1** and the Fig.2 it is found that Aircel 2G & 3G are not meeting the benchmark for worst affected BTS due to downtime.




Fig. 3
According to the data on the table **4.3.1** and the **Fig.3** it is found that all the service providers are meeting the benchmark.




Fig. 4
According to the data on the table **4.3.1** and the **Fig.4** it is found that all the service providers are meeting the benchmark.




Fig. 5
According to the data on the table **4.3.1** and the **Fig.5** it is found that all the service providers are meeting the benchmark.




Fig. 6
According to the data on the table **4.3.1** and the **Fig.6** it is found that all the service providers are meeting the benchmark.




Fig.7 According to the data on the table **4.3.1** and the **Fig.7** it is found that Aircel 3G is not meeting the benchmark for **worst affected cells having more than 3% TCH drop (call drop) rate.**




Fig. 8
According to the data on the table **4.3.1** and the **Fig.8** it is found that all the service providers are meeting the benchmark.




Fig. 9
According to the data on the table **4.3.1** and the **Fig.9** it is found that all the service providers are meeting the benchmark.

4.4 Drive Test Measurements Audit Report Chennai Circle Q2 (Graphical Representation)

Hand Over Success Rate (HOSR)

Chennai North

99.20%

99.69%

99.20%

94.50%

99.16%

99.30%

98.86%

100.00%

100.00%

99.93%

			Duivo	Tost Mo	A C C L L M C 122 C	mta					
			Drive						CDN	MA Operato	ors
Parameter	City Name	Airtel	Idea	Vodafone	BSNL	Aircel	RCOM GSM	TATA GSM	RCOM CDMA	TATA CDMA	MTS
Call Attempts	Chennai North	531	450	474	527	498	496	620	498	490	538
Blocked Call Rate (<=3%)	Chennai North	1.13%	0.67%	0.00%	3.20%	0.40%	1.61%	0.00%	0.00%	0.00%	0.00%
Dropped Call Rate (<=2%)	Chennai North	0.19%	0.00%	0.20%	1.20%	0.60%	0.00%	0.32%	0.20%	1.00%	0.19%
		Percenta	ge of connec	tions with go	od voice qual	lity (=>95%))				
(i) 0-4 (w/o frequency hopping)	Chennai North	102.00%	102.00%	102.00%	102.00%	102.00%	102.00%	102.00%	102.00%	102.00%	102.00%
(ii) 0-5 (with frequency hopping)	Chennai North	97.48%	97.20%	97.50%	93.00%	96.15%	96.80%	96.56%	97.17%	97.97%	98.42%
				Service	Coverage						
In door (>= -75dBm)	Chennai North	66.24%	93.70%	92.00%	93.00%	80.00%	99.32%	95.52%	73.60%	79.45%	83.47%
In-vehicle (>= -85dBm)	Chennai North	87.94%	99.60%	99.00%	99.00%	71.00%	99.72%	99.92%	99.90%	20.54%	99.89%
Outdoor- in city (>= -95dBm)	Chennai North	100.00%	100.00%	100.00%	100.00%	93.00%	100.00%	100.00%	100.00%	0.00%	100.00%
Call Setup Success Rate (>=95%)	Chennai North	98.68%	99.33%	98.52%	96.30%	99.59%	98.40%	99.68%	100.00%	100.00%	100.00%
	Call Attempts Blocked Call Rate (<=3%) Dropped Call Rate (<=2%) (i) 0-4 (w/o frequency hopping) (ii) 0-5 (with frequency hopping) In door (>= -75dBm) In-vehicle (>= -85dBm) Outdoor- in city (>= -95dBm)	Call Attempts Chennai North Blocked Call Rate (<=3%) Chennai North Chennai North (i) 0-4 (w/o frequency hopping) Chennai North (ii) 0-5 (with frequency hopping) Chennai North In door (>= -75dBm) Chennai North In-vehicle (>= -85dBm) Chennai North Outdoor- in city (>= -95dBm) Chennai North	Call Attempts Chennai North Chennai North Chennai North Dropped Call Rate (<=3%) Chennai North Chennai North O.19% Percenta (i) 0-4 (w/o frequency hopping) Chennai North Dropped Call Rate (<=2%) Chennai North O.19% Percenta (i) 0-5 (with frequency hopping) Chennai North O-5 (with frequency hopping) Chennai North O-5 (with frequency hopping) Chennai North Chennai North Outdoor- in city (>= -85dBm) Chennai North Chennai North Chennai North Outdoor- in city (>= -95dBm) Chennai North	Parameter City Name Airtel Idea Call Attempts Chennai North 531 450 Blocked Call Rate (<=3%)	Parameter City Name Airtel Idea Vodafone Call Attempts Chennai North 531 450 474 Blocked Call Rate (<=3%)	Parameter City Name Airtel Idea Vodafone BSNL Call Attempts Chennai North 531 450 474 527 Blocked Call Rate (<=3%)	Call Attempts Chennai North 531 450 474 527 498 Blocked Call Rate (<=3%)	City Name	GSM Operators City Name Airtel Idea Vodafone BSNL Aircel RCOM GSM TATA GSM Call Attempts Chennai North 531 450 474 527 498 496 620 Blocked Call Rate (<=3%) Chennai North 1.13% 0.67% 0.00% 3.20% 0.40% 1.61% 0.00% Dropped Call Rate (<=2%) Chennai North 0.19% 0.00% 0.20% 1.20% 0.60% 0.00% 0.32% Percentage of connections with good voice quality (=>95%) (i) 0-4 (w/o frequency hopping) Chennai North 102.00% 102.00% 102.00% 102.00% 102.00% 102.00% 102.00% 102.00% 96.80% 96.80% 96.56% Service Coverage In door (>= -75dBm) Chennai North 66.24% 93.70% 92.00% 93.00% 80.00% 99.32% 95.52% In-vehicle (>= -85dBm) Chennai North 87.94% 99.60% 99.00% 99.00% 71.00% 99.72% 99.92% Outdoor-	City Name	Parameter CIty Name GSM Operators CDMA Operators Call Attempts Chennai North 531 450 474 527 498 496 620 498 490 Blocked Call Rate (<=3%)

Note: NA= 102.00%

4.4.1 Call Attempts:-




Fig.4.4.1According to the table and the fig. 4.4.1 it shows the no. of calls attempted in Chennai city.

4.4.2 Blocked Call Rate (<=3%):-




Fig.4.4.2
According to the table and the fig. 4.4.2 it shows that all BSNL service providers are not meeting the benchmark for **Blocked Call Rate**.

4.4.3 Dropped Call Rate (<=2):




Fig. 4.4.3

• According to the table and the fig. 4.4.3 it shows that all service providers are meeting the benchmark of **Dropped Call Rate** (<=2%).

4.4.4 Percentage of connections with good voice quality (=>95%)

4.4.4.1 0-4 (w/o frequency hopping) – Services not available.

4.4.4.2 0-5 (with frequency hopping)




Fig. 4.4.4.2

• According to the table and the fig. 4.4.4.1, it shows that BSNL is not meeting the Benchmark for Voice Quality.

4.4.5 Service Coverage

4.4.5.1 Indoor (>= -75dBm)




Fig.4.4.5.1 According to the table and the fig. 4.4.5.1, it shows the service providers service coverage with **indoor** (>= -75dBm).

4.4.5.2 In-vehicle (>= -85dBm)




Fig. 4.4.5.2 According to the table and the fig. 4.4.5.2, it shows the service providers service coverage with **In-vehicle** (>= -85dBm).

4.4.5.3 Outdoor- in city (>= -95dBm):-




Fig. 4.4.5.3
According to the table and the fig. 4.4.5.3, it shows the service providers service coverage with **Outdoor-in city** (>= -95dBm).

4.4.6 Call Setup Success Rate (>=95%)




Fig. 4.4.6
According to the table and the fig. 4.4.6, it shows that all the service providers are meeting the benchmark of Call Setup Success Rate.

4.4.7 Handover Success Rate (HOSR):-




Fig.4.4.7

4.5 Live Test Summary and Graphical Representation for Q2_Chennai Circle

Three Days Live Test Performance Audit Summary Report

Telecom Circle: Chennai Circle

Zone : South

Period: 1st Oct. To 31st Dec. 2013

						Ch	ennai(O	ct-Dec'1	3)							
	3 days Live Test Audit	<u>Data</u>	DATE	AIRCEL 2G	AIRCEL 3G	AIRTEL 2G	BSNL 2G	BSNL 3G	IDEA 2G	Vodafo ne	Vodafone 3G	TATA	RCOM	MTS	RCOM	TATA
S.N	PARAMETER	BENCH MARK	DATE					GSM O	perators						CDMA	
							Networl	x Availabi	ilit <u>y</u>							
			Day 1	0.78%	1.26%	0.05%	0.85%	1.32%	0.03%	0.00%	0.00%	0.01%	0.02%	0.02%	0.00%	0.03%
	BTS accumulated downtime	≤ 2%	Day 2	0.78%	1.26%	0.05%	0.85%	1.32%	0.03%	0.00%	0.00%	0.01%	0.02%	0.02%	0.00%	0.03%
1			Day 3	0.78%	1.26%	0.05%	0.85%	1.32%	0.03%	0.00%	0.00%	0.01%	0.02%	0.02%	0.00%	0.03%
			Day 1	0.05%	0.86%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	Worst affected BTS due to downtime	≤ 2%	Day 2	0.05%	0.86%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
			Day 3	0.05%	0.86%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
					Co	nnection	establish	ment (Ac	cessibili	ty)						
			Day 1	98.82%	97.75%	99.92%	98.20%	97.39%	99.78%	99.73%	99.76%	98.21%	99.76%	99.54%	99.22%	98.52%
	Call Setup Success Rate	≥ 95%	Day 2	98.93%	97.14%	99.93%	98.70%	97.56%	99.76%	99.59%	99.80%	98.22%	99.76%	99.55%	99.23%	98.81%
			Day 3	98.78%	96.61%	99.92%	98.20%	97.89%	99.78%	99.63%	99.75%	98.23%	99.75%	99.50%	99.41%	98.83%
	angayan : al		Day 1	0.27%	0.41%	0.01%	0.32%	0.02%	0.06%	0.01%	0.04%	0.02%	0.01%	0.00%	0.00%	0.00%
2	SDCCH/ Paging Channel Congestion	≤ 1%	Day 2	0.14%	0.19%	0.01%	0.29%	0.07%	0.05%	0.02%	0.00%	0.01%	0.01%	0.00%	0.00%	0.00%
			Day 3	0.22%	0.13%	0.01%	0.31%	0.11%	0.05%	0.02%	0.03%	0.01%	0.08%	0.00%	0.00%	0.00%
			Day 1	0.79%	0.18%	0.01%	1.76%	0.86%	0.11%	0.27%	0.01%	0.01%	0.03%	0.04%	0.00%	0.50%
	TCH congestion	≤ 2%	Day 2	0.70%	0.07%	0.00%	1.32%	0.96%	0.11%	0.41%	0.00%	0.01%	0.04%	0.04%	0.00%	0.18%
			Day 3	0.82%	0.17%	0.01%	1.76%	1.30%	0.10%	0.37%	0.02%	0.00%	0.04%	0.05%	0.00%	0.35%

					Con	nection M	Iaintaina	bility (R	etain abi	lity)						
			Day 1	0.51%	1.26%	0.17%	0.68%	0.26%	0.38%	0.50%	0.33%	0.88%	0.34%	0.45%	0.02%	0.53%
	Call Drop Rate	≤ 2%	Day 2	0.49%	1.20%	0.16%	0.56%	0.26%	0.38%	0.53%	0.33%	0.89%	0.34%	0.44%	0.01%	0.53%
			Day 3	0.51%	1.24%	0.19%	0.58%	0.40%	0.38%	0.51%	0.36%	0.87%	0.35%	0.44%	0.01%	0.51%
	Worst affected cells having		Day 1	1.18%	10.50%	0.09%	2.48%	1.46%	1.71%	1.36%	2.79	1.83%	0.02%	0.00%	0.08%	1.56%
	more than 3% TCH drop (call drop) rate	≤ 3%	Day 2	1.18%	10.50%	0.09%	2.34%	1.46%	1.71%	1.64%	2.95%	1.83%	0.02%	0.00%	0.08%	1.56%
3	(can drop) rate		Day 3	1.18%	10.50%	0.09%	2.44%	1.46%	1.71%	1.67%	2.26%	1.83%	0.02%	0.00%	0.08%	1.56%
3			Day 1	97.90%	98.22%	99.72%	99.93%	99.40%	97.48%	98.87%	99.00%	98.56%	99.05%	98.27%	99.78%	98.83%
	% of Connections with good voice quality	≥ 95%	Day 2	98.08%	97.95%	99.72%	99.93%	99.21%	97.59%	98.84%	99.00%	98.57%	99.05%	98.27%	99.78%	98.83%
			Day 3	97.9%.	98.00%	99.70%	99.92%	99.16%	97.68%	98.84%	98.99%	98.60%	99.03%	98.25%	99.77%	98.80%
	Point of Interconnections (Day 1	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	POI) congestion (on individual POI)	≤ 0.5%	Day 2	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	ilidividuai FOI)		Day 3	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

4.5.1 Network Availability

4.5.1.1 BTS accumulated downtime ($\leq 2\%$)




Fig. 4.5.1.1 All operators are meeting the TRAI benchmarks for BTS accumulated downtime ($\leq 2\%$) for 3 days live data taken in the month of audit.

4.5.1.2 Worst affected BTS due to downtime ($\leq 2\%$)




Fig. 4.5.1.2 All operators are meeting the TRAI benchmarks for worst affected BTS due to downtime ($\leq 2\%$) for 3 days live data taken in the month of audit.

4.5.2 Connection establishment (Accessibility)

4.5.2.1 Call Setup Success Rate≥ 95%




Fig. 4.5.2.1
All operators are meeting the TRAI benchmarks for Call Setup Success Rate≥ 95 for 3 days live data taken in the month of audit.

4.5.2.2 SDCCH/ Paging Channel Congestion ≤ 1%




Fig. 4.5.2.2

• All operators are meeting the TRAI benchmarks **SDCCH/ Paging Channel Congestion** ≤ 1 for 3 days live data taken in the month of audit except Idea.

4.5.2.3 TCH congestion $\leq 2\%$




Fig. 4.5.2.3 All operators are meeting the TRAI benchmarks for TCH congestion \leq 2% for 3 days live data taken in the month of audit.

4.5.3 Connection Maintainability (Retain ability)

4.5.3.1 Call Drop Rate ≤ 2%




Fig. 4.5.3.1 All operators are meeting the TRAI benchmarks for Call Drop Rate $\leq 2\%$ ($\leq 2\%$) for 3 days live data taken in the month of audit.

4.5.3.2 Worst affected cells having more than 3% TCH drop (call drop) rate




Fig. 4.5.3.2

• Aircel 3G, is not meeting the benchmark for worst affected cells having more than 3% TCH drop (call drop) rate.

4.5.3.2 % of Connections with good voice quality $\geq 95\%$




Fig. 4.5.3.3

• All operators are meeting the TRAI benchmarks "% of Connections with good voice quality ≥ 95%" for 3 days live data taken in the month of audit except TATA CDMA (NA).

4.5.3.4 Point of Interconnections (POI) congestion (on individual POI) $\leq 0.5\%$




Fig. 4.5.3.4

• All operators are meeting the TRAI benchmarks **Point of Interconnections (POI) congestion (on individual POI)** \leq **0.5%** (\leq 0.5%) for 3 days live data taken in the month of audit.

Compliance report (Status of service providers with respect to the QoS

From live, month, PMR and Drive Tests findings, it can be concluded that on an average, performance of the operators in the service area (Chennai) is satisfactory for Network Parameters. However, the benchmark for "worst affected cells having more than 3% TCH drop (call drop) rate." is not met by Aircel (3G) and Aircel (2G & 3G) for worst affected BTS due to downtime. Aircel (3G) for 3 day live test is not met the benchmarks for worst affected cells having more than 3% TCH drop (call drop) rate. BSNL is not meeting the benchmark for "Blocked Call Rate (<=3%) and good voice quality (0-5 (with frequency hopping))" in Drive test.

Under Customer Service Quality Parameter, "From the 2nd quarter data assessment, it is found that the performance related to customer care data is not found to be satisfactory for the parameter "calls answered by operators (voice-to-voice)" for **Rcom** (**GSM & CDMA** and rest of the operators are meeting their benchmarks.

The "Metering/billing credibility – pre-paid" benchmark is meeting by all service providers in Chennai circle.

During Operated assisted Drive Tests, the benchmark for **blocked call rate should be <=3%** and **good voice quality** (=>95%) in which all the operators are meeting benchmark in Chennai except BSNL.

CHAPTER-5: FINDINGS AND ANALYSIS

Verification of the Performance of Service Providers against the Quality of Service benchmarks laid down by TRAI using the data for the entire month during which the live measurement is carried out.

> As per PMR Data Verification Results for-

- Chennai Circle (Oct'13): Aircel 2G & 3G service provider are not meeting the benchmark for the parameter worst affected BTSs due to downtime and Aircel 3G is not meeting the benchmark for the parameter worst affected cells>3% TCH drop (Call drop) rate.
- Chennai Circle (Nov'13): From the month Data Assessment, it is found that Aircel (2G & 3G) operators are not meeting the benchmark for worst affected BTS due to downtime and Aircel 3G is not meeting the benchmark for worst affected cells having more than 3% TCH drop (call drop) rate.
- Chennai Circle (Dec'13): From the month Data Assessment, it is found that Aircel (2G & 3G) operators are not meeting the benchmark for worst affected BTS due to downtime and Aircel 3G is not meeting the benchmark of worst affected cells having more than 3% TCH drop (call drop) rate.

➤ As per 3 Days Live Test Audit Report (2nd Quarter), Chennai Circle:

Verification of the Performance of Service Providers against the Quality of Service benchmarks laid down by TRAI using Live measurements for 3 days during the month in which the Audit and Assessment is carried out.

- All operators are meeting the TRAI benchmarks for Call Setup Success Rate ≥ 95 for 3 days live data taken in the month of audit.
- All operators are meeting the TRAI benchmarks SDCCH/ Paging Channel Congestion ≤ 1 for
 3 days live data taken in the month of audit except Idea.
- All operators are meeting the TRAI benchmarks for **TCH congestion** ≤ 2% for 3 days live data taken in the month of audit.
- All operators are meeting the TRAI benchmarks for **Call Drop Rate** ≤ 2% (<=2%) for 3 days live data taken in the month of audit.
- Aircel (2G & 3G), Vodafone, Idea and TATA (GSM & 3G) are not meeting the benchmark for worst affected cells having more than 3% TCH drop (call drop) rate.

- All operators are meeting the TRAI benchmarks "% of Connections with good voice quality ≥
 95%" for 3 days live data taken in the month of audit except TATA CDMA (NA).
- All operators are meeting the TRAI benchmarks **Point of Interconnections (POI) congestion** (on individual POI) \leq 0.5% (\leq 0.5%) for 3 days live data taken in the month of audit

As per Operator Assisted Drive Test:

The Operator Assisted Drive Test was conducted for all the Operators. Route covered was about 100 Km depending on city areas within the speed limit of 30-40 km/hour. In all the cities Zones were selected for covering different density areas (High/Medium/Low).

Chennai Circle:

- According to the table, it shows the no. of calls attempted in Chennai North.
- According to the table, it shows that the BSNL service provider is not meeting the benchmark for **Blocked Call Rate**.
- According to the table, it shows that all service provider are meeting the benchmark for Dropped Call Rate (<=2%).
- According to the table, it shows that BSNL is not meeting the benchmark for Voice Quality (0-5 (with frequency hopping)) in Chennai.
- According to the table it shows that all service providers are meeting the benchmark of indoor (>= -75dBm).
- According to the table, it shows that all service providers are meeting their benchmark of Invehicle (>= -85dBm).
- According to the table, it shows that all service providers are meeting their benchmark of Outdoor- in city (>= -95dBm).
- According to the table, it shows that all the service providers are meeting the benchmark of Call
 Setup Success Rate.

Level 1 Live Calling (Emergency No.):-

• Level 1 calling such as calling at emergency no. like Police, Fire, and Ambulance were made so as to check the service of such short codes. In Chennai it was found to be functional.

CUSTOMER SERVICE QUALITY PARAMETERS

2nd Quarter data Assessment (Chennai Circle)

- According to the parameter metering/billing credibility post-paid in the table we found that all
 the service providers are meeting the benchmark
- According to the parameter metering /billing credibility pre-paid in the table we found that all the service providers are meeting the benchmark
- According to the parameter Resolution of billing/ charging complaints in the table we found that all the service providers are meeting the benchmark.
- According to the parameter Period of applying credit/waiver/adjustment to the customer's
 account from the date of resolutions of complaints in the table we found that all the service
 providers are meeting the benchmark.
- According to the parameter Accessibility of call centre/Customer Care in the table we found that all the service providers are meeting the benchmark.
- According to the parameter % call answered by operators (voice to voice) within 60 sec in the table we found that all the service providers are meeting the benchmark except Rcom (GSM & CDMA).
- According to the parameter no. of requests for Termination / Closure of service complied within
 7 days during the quarter in the table we found that all the service providers are meeting the benchmark.
- According to the parameter Time taken for refunds of deposits after closures in the table we found that all the service providers are meeting the benchmark

> Inter Operator Call Assessment:

In the inter-operator call assessment test, calls were made from one operator to other operator so
as to check congestion on both the operators' network. In such cases, the radio part, switch part
& the POI in between the operators are involved and hence if any congestion is found in the
network, it may be due to any of these parts. The result shows that there were congestion with
BSNL, Rcom, Airtel and TATA GSM service providers.